

Identify Your Sloan Faucet

BASYS® (EFX)



Page 29

BASYS® High

EFX100	Hardwired
EFX150	Battery
EFX175	Battery + solar
EFX177	Battery + solar + LCD
EFX180	Battery + turbine



Page 30-31

BASYS® Mid

EFX200	Hardwired
EFX250	Battery
EFX275	Battery + solar
EFX277	Battery + solar + LCD
EFX280	Battery + turbine



Page 32

BASYS® Low

EFX300	Hardwired
EFX350	Battery
EFX375	Battery + solar
EFX377	Battery + solar + LCD
EFX380	Battery + turbine



Page 33

BASYS® Low Integrated Base

EFX600	Hardwired
EFX650	Battery
EFX675	Battery + solar
EFX677	Battery + solar + LCD
EFX680	Battery + turbine



Page 34

BASYS® Wall

EFX800	Hardwired
EFX850	Battery
EFX875	Battery + solar
EFX877	Battery + solar + LCD

Optima® (EAF, EBF, ETF)



Page 50

EAF100	Hardwired
EAF150	Battery



Page 51

EAF200	Hardwired
EAF250	Battery
EAF275	Battery + solar



Page 51

EAF225	Hardwired with illuminated temperature indicator
--------	--



Page 52

EAF350	Battery
--------	---------

Faucets, Soap Dispensers
& Sinks
OLP

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Optima® (continued)



Page 42-47

ETF700 Hardwired
EBF750 Battery
EBF755 Battery, BAA compliance



Page 54

EAF900 Hardwired with backlight stream and illuminated temperature controls



Page 35

ETF80 Hardwired
EBF85 Battery



Page 36

ETF880 Hardwired
EBF187 Battery



Page 37-38

ETF500 Hardwired
EBF550 Battery



Page 40

ETF610 Hardwired
EBF615 Battery
EBF625 Battery, BAA compliance



Page 39

ETF600 Hardwired
EBF650 Battery
EBF655 Battery, BAA compliance



Page 41

ETF660 Hardwired with side sensor



Page 53

EAF700 Hardwired
EAF750 Battery



Page 42-47

ETF700-S Hardwired with surgical bend
EBF750-S Battery with surgical bend

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Optima® (continued)



Page 48

ETF770 Hardwired with side sensor



Page 49


ETF800 Hardwired

Sloan® (SF)



Page 55-56

SF2100 Hardwired
SF2150 Battery



Page 55-56

SF2200 Hardwired
SF2250 Battery



Page 55-56

SF2300 Hardwired
SF2350 Battery



Page 55-56

SF2400 Hardwired
SF2450 Battery

Sloan Faucet Abbreviations & Descriptions List

Trim Plates	Description
-8/8TP	8 inch Trim plate included
-4/4TP	4 Inch trim Plate included
Less Trim	Without Trim Plate
4 Inch Center	4 inch center set Faucet

Finishes	Description
CP	Chrome Plated
PVDBN	Brushed Nickel Finish
PVDPB	Polished Brass Finish
PVDSB	Satin Brass Finish
PVDSF	Brushed Stainless Finish

Transformers	Description
LT	Less Transformer
P	Plug in Transformer
B	Box Mount Transformer

Water Control	Description
F	Flow Restrictor
H	Showerhead Type Spray
LF / Line Flush NYP	Line Flush
LP	Line Purge

Mixing Valves	Description
ADM	Above Deck Mixing Valve
BDM	Below Deck Mechanical Mixing Valve
BDT	Below Deck Thermostatic Mixing Valve
Check / CT	Check T
ISM	Integrated Side Mixing Valve

Power Options	Description
B Backup / Bat B	Battery Backup
HW	Hardwired
L / Batt, LB	Less Batteries

Faucet Family	Description
EAF	Electronic Above Deck Faucet
EBF	Electronic Battery Faucet
ETF	Electronic Transformer Faucet
EFX	Electronic Faucet Generation X (Basys)
SF	Sloan Faucet

Miscellaneous	Description
BAA / BA	Buy American Act
ASM	Assembly
DPU	Drain Pop up
Ext.	Extension
IC	IC Click Feature
Intl	International Specification
IQ	IQ Click Feature
Kit	Kit
L Cont Mod	Less Control Module
L/Logo, LL	Less Logo
LR	Long Range Sensor
WS	Wash Station

Spout Types	Description
Gneck, G'Neck	Gooseneck Spout
S	Surgical (Hospital Bend) Spout
Ped	Pedestal Spout

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
BASYS® High - Active Infrared Sensor Faucet					
Infrared, sensor-activated, electronic, chrome-plated die cast body, hand washing faucet for pre-tempered or hot/cold water operation. Note: All BASYS™ faucets are chrome plated zinc die cast and utilize active infrared sensing unless otherwise noted. Low Lead Compliant.					
3324030	EFX-100.000.0000	BASYS Faucet High-HW-Bowed-0.5	847.70	5.00	671254401648
3324215	EFX-100.002.0000	BASYS Faucet High-HW-Bowed-1.5 AER	847.70	5.00	671254400344
3324216	EFX-100.002.0110	BASYS Faucet High-HW-Bowed-1.5 AER-4TP-EAF11	982.75	5.00	671254400351
3324023	EFX-100.500.0000	BASYS Faucet High-HW-Bowed-ISM-0.5	884.50	5.00	671254391284
3324012	EFX-100.500.0010	BASYS Faucet High-HW-Bowed-ISM-0.5-EAF11	958.25	5.00	671254398696
3324024	EFX-100.502.0000	BASYS Faucet High-HW-Bowed-ISM-1.5 AER	884.50	5.00	671254391277
3324229	EFX-100.502.0100	BASYS Faucet High-HW-Bowed-ISM-1.5 AER-4TP	958.25	5.00	671254401655
3324025	EFX-150.000.0000	BASYS Faucet High-Batt-Bowed-0.5	810.80	5.00	671254395947
3324223	EFX-150.002.0000	BASYS Faucet High-Batt-Bowed-1.5 AER	810.80	5.00	671254401488
3324300	EFX-150.003.0000	BASYS Faucet High-Batt-Bowed-1.5 LAM	810.80	5.00	671254406520
3324026	EFX-150.500.0000	BASYS Faucet High-Batt-Bowed-ISM-0.5	847.70	5.00	671254398764
3324230	EFX-150.500.0100	BASYS Faucet High-Batt-Bowed-ISM-0.5-4TP	909.05	5.00	671254401662
3324011	EFX-150.502.0000	BASYS Faucet High-Batt-Bowed-ISM-1.5 AER	847.70	5.00	671254391260
3324027	EFX-150.502.0100	BASYS Faucet High-Batt-Bowed-ISM-1.5 AER-4TP	909.05	5.00	671254398702
3324303	EFX-150.503.0000	BASYS Faucet High-Batt-Bowed-ISM-1.5 LAM	847.70	5.00	671254406551
3324243	EFX-175.000.0000	BASYS Faucet High-Solar-0.5	933.60	5.00	671254403598
3324220	EFX-175.002.0000	BASYS Faucet High-Solar-1.5 AER	933.60	5.00	671254401181
3324221	EFX-175.002.0200	BASYS Faucet High-Solar-1.5 AER-8TP	1,007.30	5.00	671254401372
3324244	EFX-175.500.0000	BASYS Faucet High-Solar-ISM-0.5	970.50	5.00	671254403604
3324010	EFX-175.502.0000	BASYS Faucet High-Solar-ISM-1.5 AER	970.50	5.00	671254391253
3324212	EFX-175.502.0010	BASYS Faucet High-Solar-ISM-1.5 AER-EAF11	1,044.20	5.00	671254400221
3324211	EFX-175.502.0110	BASYS Faucet High-Solar-ISM-1.5 AER-4TP-EAF11	1,105.60	5.00	671254400108
3324224	EFX-177.000.0000	BASYS Faucet High-Solar-LCD Solar-0.5	1,240.70	5.00	671254401495
3324209	EFX-177.000.0100	BASYS Faucet High-Solar-LCD Solar-0.5-4TP	1,302.15	5.00	671254400054
3324302	EFX-177.003.0000	BASYS Faucet High-Solar-LCD Solar-1.5 LAM	1,240.70	5.00	671254406544
3324086	EFX-177.500.0000	BASYS Faucet High-Solar-LCD Solar-ISM-0.5	1,277.60	5.00	671254398139
3324013	EFX-177.502.0000	BASYS Faucet High-Solar-LCD Solar-ISM-1.5 AER	1,277.60	5.00	671254396081
3324029	EFX-177.502.0100	BASYS Faucet High-Solar-LCD Solar-ISM-1.5 AER-4TP	1,277.60	5.00	671254396098
3324305	EFX-177.503.0000	BASYS Faucet High-Solar-LCD Solar-ISM-1.5 LAM	1,277.60	5.00	671254406575
3324360	EFX-180.503.0000	BASYS Faucet High-Turbine 1.5 LAM	970.55	5.00	671254410444
3324361	EFX-180.003.0000	BASYS Faucet High-Turbine LCD 1.5 LAM	933.65	5.00	671254410433
3324362	EFX-180.502.0000	BASYS Faucet High-Turbine ISM 1.5 AER	970.55	5.00	671254410422
3324363	EFX-180.500.0000	BASYS Faucet High-Turbine -ISM-0.5	970.55	5.00	671254410411
3324364	EFX-180.002.0000	BASYS Faucet High-Turbine 1.5 AER	933.65	5.00	671254410400
3324365	EFX-180.000.0000	BASYS Faucet High-Turbine 0.5	933.65	5.00	671254410399



EFX100	Hardwired
EFX150	Battery
EFX175	Battery + solar
EFX177	Battery + solar + LCD
EFX180	Battery + turbine

**Contact Your Local Sloan Representative

IB - Integrated Base; **HW** - Hardwire; **Batt** - Alkaline Battery; **Solar** - Solar Power; **CAP** - Capacitance; **LCD** - Solar+LCD Crown; **ISM** - Integral Temperature Control Spout Mixer; **BDM** - Below Deck Mixing Valve; **BDT** - Below Deck Thermostatic Mixing Valve; **0.5** - 0.5 gpm/1.9 Lpm Multi-Lam Spray Insert; **1.5 AER** - 1.5 gpm/5.7 Lpm Aerator; **1.5 AER** - 1.5 gpm/5.7 Lpm Laminar; **4TP** - 4" Trim Plate; **8TP** - 8" Trim Plate; **EAF11** - 6 VDC Plug-In Voltage Adapter; **EAF37** - 6 VDC Box-Mount Adapter; Turbine - Turbine Power

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
BASYS® Mid - Active Infrared Sensor Faucet					
Infrared, sensor-activated, electronic, chrome-plated die cast body, hand washing faucet for pre-tempered or hot/cold water operation. Note: All BASYS faucets are chrome plated zinc die cast and utilize active infrared sensing unless otherwise noted. Low Lead Compliant.					
3324031	EFX-200.000.0000	BASYS Faucet Mid-HW-Bowed-0.5	737.10	5.00	671254391352
3324207	EFX-200.000.0110	BASYS Faucet Mid-HW-Bowed-0.5-4TP-EAF11	872.20	5.00	671254399709
3324204	EFX-200.002.0000	BASYS Faucet Mid-HW-Bowed-1.5 AER	736.75	5.00	671254399730
3324205	EFX-200.002.0110	BASYS Faucet Mid-HW-Bowed-1.5 AER-4TP-EAF11	872.20	5.00	671254399747
3324203	EFX-200.100.0040	BASYS Faucet Mid-HW-Bowed-0.5-EAF37	850.10	5.00	671254399242
3324233	EFX-200.200.0040	BASYS Faucet Mid-HW-Bowed-BDT-0.5-EAF37	1,086.00	5.00	671254402553
3324014	EFX-200.500.0000	BASYS Faucet Mid-HW-Bowed-ISM-0.5	774.00	5.00	671254391314
3324095	EFX-200.500.0010	BASYS Faucet Mid-HW-Bowed-ISM-0.5-EAF11	847.70	5.00	671254398528
3324241	EFX-200.500.0110	BASYS Faucet Mid-HW-Bowed-ISM-0.5-4TP-EAF11	909.05	5.00	671254403420
3324033	EFX-200.502.0000	BASYS Faucet Mid-HW-Bowed-ISM-1.5 AER	774.00	5.00	671254391819
3324240	EFX-200.502.0010	BASYS Faucet Mid-HW-Bowed-ISM-1.5 AER-EAF11	847.70	5.00	671254403413
3324082	EFX-200.502.0040	BASYS Faucet Mid-HW-Bowed-ISM-1.5 AER-EAF37	847.70	5.00	671254397811
3324231	EFX-200.502.0100	BASYS Faucet Mid-HW-Bowed-ISM-1.5 AER-4TP	835.35	5.00	671254401570
3324005	EFX-250.000.0000	BASYS Faucet Mid-Batt-Bowed-0.5	700.25	5.00	671254391338
3324073	EFX-250.002.0000	BASYS Faucet Mid-Batt-Bowed-1.5 AER	700.25	5.00	671254395954
3324077	EFX-250.002.0100	BASYS Faucet Mid-Batt-Bowed-1.5 AER-4TP	761.60	5.00	671254396340
3324306	EFX-250.003.0000	BASYS Faucet Mid-Batt-Bowed-1.5 LAM	700.25	5.00	671254406582
3324004	EFX-250.500.0000	BASYS Faucet Mid-Batt-Bowed-ISM-0.5	737.10	5.00	671254391307
3324058	EFX-250.500.0100	BASYS Faucet Mid-Batt-Bowed-ISM-0.5-4TP	798.50	5.00	671254395268
3324076	EFX-250.500.0200	BASYS Faucet Mid-Batt-Bowed-ISM-0.5-8TP	810.80	5.00	671254396036
3324035	EFX-250.502.0000	BASYS Faucet Mid-Batt-Bowed-ISM-1.5 AER	737.10	5.00	671254392137
3324060	EFX-250.502.0100	BASYS Faucet Mid-Batt-Bowed-ISM-1.5-4TP	798.50	5.00	671254395282
3324218	EFX-250.502.0200	BASYS Faucet Mid-Batt-Bowed-ISM-1.5 AER-8TP	810.80	5.00	671254400696
3324309	EFX-250.503.0000	BASYS Faucet Mid-Batt-Bowed-ISM-1.5 LAM	737.10	3.71	671254406612
3324003	EFX-275.000.0000	BASYS Faucet Mid-Solar-0.5	823.10	5.00	671254391321
3324074	EFX-275.002.0000	BASYS Faucet Mid-Solar-1.5 AER	823.10	5.00	671254396128
3324307	EFX-275.003.0000	BASYS Faucet Mid-Solar-1.5 LAM	823.10	5.00	671254406599
3324217	EFX-275.100.0200	BASYS Faucet Mid-Solar-BDM-0.5-8TP	936.10	5.00	671254400474
3324002	EFX-275.500.0000	BASYS Faucet Mid-Solar-ISM-0.5	859.95	5.00	671254391291
3324015	EFX-275.500.0100	BASYS Faucet Mid-Solar-ISM-0.5-4TP	921.40	5.00	671254391345
3324034	EFX-275.502.0000	BASYS Faucet Mid-Solar-ISM-1.5 AER	859.95	5.00	671254392120
3324042	EFX-275.502.0100	BASYS Faucet Mid-Solar-ISM-1.5 AER-4TP	921.40	5.00	671254394681
3324078	EFX-275.502.0200	BASYS Faucet Mid-Solar-ISM-1.5 AER-8TP	933.60	5.00	671254396494
3324310	EFX-275.503.0000	BASYS Faucet Mid-Solar-ISM-1.5 LAM	859.95	5.00	671254406629
3324208	EFX-277.000.0100	BASYS Faucet Mid-Solar-LCD Solar-0.5-4TP	1,191.55	5.00	671254400047
3324213	EFX-277.000.0000	BASYS Faucet Mid-Solar-LCD Solar-0.5	1,130.10	5.00	671254400238
3324080	EFX-277.002.0000	BASYS Faucet Mid-Solar-LCD Solar-1.5 AER	1,130.10	5.00	671254398757
3324308	EFX-277.003.0000	BASYS Faucet Mid-Solar-LCD Solar-1.5 LAM	1,130.10	5.00	671254406605
3324061	EFX-277.500.0000	BASYS Faucet Mid-Solar-LCD Solar-ISM-0.5	1,167.00	5.00	671254395190
3324059	EFX-277.500.0100	BASYS Faucet Mid-Solar-LCD Solar-ISM-0.5-4TP	1,228.45	5.00	671254395275
3324032	EFX-277.502.0000	BASYS Faucet Mid-Solar-LCD Solar-ISM-1.5 AER	1,167.00	5.00	671254391840
3324043	EFX-277.502.0100	BASYS Faucet Mid-Solar-LCD Solar-ISM-1.5 AER-4TP	1,228.50	5.00	671254394698
3324311	EFX-277.503.0000	BASYS Faucet Mid-Solar-LCD Solar-ISM-1.5 LAM	1,167.00	5.00	671254406636



EFX200	Hardwired
EFX250	Battery
EFX275	Battery + solar
EFX277	Battery + solar + LCD
EFX280	Battery + turbine

**Contact Your Local Sloan Representative

IB - Integrated Base; **HW** - Hardwire; **Batt** - Alkaline Battery; **Solar** - Solar Power; **CAP** - Capacitance; **LCD** - Solar+LCD Crown; **ISM** - Integral Temperature Control Spout Mixer; **BDM** - Below Deck Mixing Valve; **BDT** - Below Deck Thermostatic Mixing Valve; **0.5** - 0.5 gpm/1.9 Lpm Multi-Lam Spray Insert; **1.5 AER** - 1.5 gpm/5.7 Lpm Aerator; **1.5 AER** - 1.5 gpm/5.7 Lpm Laminar; **4TP** - 4" Trim Plate; **8TP** - 8" Trim Plate; **EAF11** - 6 VDC Plug-In Voltage Adapter; **EAF37** - 6 VDC Box-Mount Adapter, Turbine - Turbine Power

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
3324067	EFX-277.503.0200	BASYS Faucet Mid-Solar-LCD Solar-ISM-1.5 LAM-8TP	1,240.70	5.00	671254396050
3324366	EFX-280.503.0000	BASYS Faucet Mid-Turbine ISM 1.5 LAM	859.95	5.00	67125441038
3324367	EFX-280.003.0000	BASYS Faucet Mid-Turbine 1.5 LAM	823.05	5.00	67125441037
3324368	EFX-280.502.0000	BASYS Faucet Mid-Turbine ISM 1.5 AER	859.95	5.00	67125441036
3324369	EFX-280.500.0000	BASYS Faucet Mid-Turbine ISM 0.5	859.95	5.00	67125441035
3324370	EFX-280.002.0000	BASYS Faucet Mid-Turbine 1.5 AER	823.05	5.00	67125441034
3324371	EFX-280.000.0000	BASYS Faucet Mid-Turbine 0.5	823.05	5.00	67125441033



- EFX200 Hardwired
- EFX250 Battery
- EFX275 Battery + solar
- EFX277 Battery + solar + LCD
- EFX280 Battery + turbine

**Contact Your Local Sloan Representative

IB - Integrated Base; **HW** - Hardwire; **Batt** - Alkaline Battery; **Solar** - Solar Power; **CAP** - Capacitance; **LCD** - Solar+LCD Crown; **ISM** - Integral Temperature Control Spout Mixer; **BDM** - Below Deck Mixing Valve; **BDT** - Below Deck Thermostatic Mixing Valve; **0.5** - 0.5 gpm/1.9 Lpm Multi-Lam Spray Insert; **1.5 AER** - 1.5 gpm/5.7 Lpm Aerator; **1.5 LAM** - 1.5 gpm/5.7 Lpm Laminar; **4TP** - 4" Trim Plate; **8TP** - 8" Trim Plate; **EA11** - 6 VDC Plug-In Voltage Adapter; **EA37** - 6 VDC Box-Mount Adapter, Turbine - Turbine Power

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
BASYS® Low, Pedestal - Active Infrared or Capacitance Sensor Faucet					
Infrared or capacitance, sensor-activated, electronic, chrome-plated die cast body, hand washing faucet for pre-tempered or hot/cold water operation with turbine power option. Note: All BASYS faucets are chrome plated zinc die cast and utilize active Infrared Sensing unless otherwise noted. Low Lead Compliant. CAP only BAA.					
3324096	EFX-300.000.0010	BASYS Faucet Low-HW-Bowed-0.5-EAF11	687.95	5.00	671254398511
3324238	EFX-300.000.0040	BASYS Faucet Low-HW-Bowed-0.5-EAF37	687.95	5.00	671254403314
3324092	EFX-300.002.0010	BASYS Faucet Low-HW-Bowed-1.5 AER-EAF11	687.95	5.00	671254398283
3324007	EFX-300.010.0010	BASYS Faucet Low-HW-Bowed-CAP-0.5-EAF11	675.70	5.00	671254394025
3324350	EFX-300.013.0010	BASYS Faucet Low-HW-Bowed-CAP-1.5 LAM-EAF11	687.95	5.00	671254406803
3324046	EFX-300.100.0010	BASYS Faucet Low-HW-Bowed-BDM-0.5-EAF11	727.30	5.00	671254398825
3324093	EFX-300.202.0010	BASYS Faucet Low-HW-Bowed-BDT-1.5 AER-EAF11	963.20	5.00	671254398290
3324210	EFX-300.210.0110	BASYS Faucet Low-HW-Bowed-BDT-CAP-0.5-4TP-EAF11	1,024.55	5.00	671254400092
3324089	EFX-300.500.0000	BASYS Faucet Low-HW-Bowed-ISM-0.5	651.15	5.00	671254398047
3324097	EFX-300.500.0010	BASYS Faucet Low-HW-Bowed-ISM-0.5-EAF11	724.85	5.00	671254398566
3324037	EFX-350.000.0000	BASYS Faucet Low-Batt-Bowed-0.5	577.40	5.00	671254395725
3324312	EFX-350.003.0000	BASYS Faucet Low-Batt-Bowed-1.5 LAM	577.40	5.00	671254406643
3324019	EFX-350.010.0000	BASYS Faucet Low-Batt-Bowed-CAP-0.5	577.40	5.00	671254392229
3324066	EFX-350.010.0100	BASYS Faucet Low-Batt-Bowed-CAP-0.5-4TP	627.25	5.00	671254395992
3324000	EFX-350.012.0000	BASYS Faucet Low-Batt-Bowed-CAP-1.5 AER	577.40	5.00	671254391833
3324351	EFX-350.013.0000	BASYS Faucet Low-Batt-Bowed-CAP-1.5 LAM	577.40	5.00	671254406438
3324047	EFX-350.100.0000	BASYS Faucet Low-Batt-Bowed-BDM-0.5	616.75	5.00	671254398832
3324201	EFX-350.102.0000	BASYS Faucet Low-Batt-Bowed-BDM-1.5 AER	616.75	5.00	671254399143
3324006	EFX-350.110.0000	BASYS Faucet Low-Batt-Bowed-BDM-CAP-0.5	617.10	5.00	671254392212
3324048	EFX-350.200.0000	BASYS Faucet Low-Batt-Bowed-BDT-0.5	852.65	5.00	671254398849
3324069	EFX-350.210.0000	BASYS Faucet Low-Batt-Bowed-BDT-CAP-0.5	852.65	5.00	671254398856
3324225	EFX-350.500.0000	BASYS Faucet Low-Batt-Bowed-ISM-0.5	614.25	5.00	671254401501
3324081	EFX-350.502.0000	BASYS Faucet Low-Batt-Bowed-ISM-1.5 AER	614.25	5.00	671254397781
3324206	EFX-350.502.0100	BASYS Faucet Low-Batt-Bowed-ISM-1.5 AER-4TP	675.70	5.00	671254399754
3324315	EFX-350.503.0000	BASYS Faucet Low-Batt-Bowed-ISM-1.5 LAM	614.25	5.00	671254406674
3324087	EFX-375.000.0000	BASYS Faucet Low-Solar-0.5	700.25	5.00	671254398023
3324090	EFX-375.000.0100	BASYS Faucet Low-Solar-0.5-4TP	761.60	5.00	671254398054
3324045	EFX-375.002.0000	BASYS Faucet Low-Solar-1.5 AER	700.25	5.00	671254398924
3324313	EFX-375.003.0000	BASYS Faucet Low-Solar-1.5 LAM	700.25	5.00	671254406650
3324226	EFX-375.500.0000	BASYS Faucet Low-Solar-ISM-0.5	737.10	5.00	671254401617
3324234	EFX-375.500.0100	BASYS Faucet Low-Solar-ISM-0.5-4TP	798.50	5.00	671254402713
3324227	EFX-375.502.0000	BASYS Faucet Low-Solar-ISM-1.5 AER	737.10	5.00	671254401624
3324316	EFX-375.503.0000	BASYS Faucet Low-Solar-ISM-1.5 LAM	737.10	2.20	671254406681
3324314	EFX-377.003.0000	BASYS Faucet Low-Solar-LCD Solar-1.5 LAM	1,007.30	5.00	671254406667
3324317	EFX-377.503.0000	BASYS Faucet Low-Solar-LCD Solar-ISM-1.5 LAM	1,044.20	5.00	671254406698
3324021	EFX-380.010.0000	BASYS Faucet Low-Turbine-Bowed-CAP-0.5	700.25	5.00	671254393509
3324022	EFX-380.012.0000	BASYS Faucet Low-Turbine-Bowed-CAP-1.5 AER	700.25	5.00	671254392236
3324354	EFX-380.013.0000	BASYS Faucet Low-Turbine-Bowed-CAP-1.5 LAM	773.95	5.00	671254406827
3324062	EFX-380.210.0100	BASYS Faucet Low-Turbine-Bowed-BDT-CAP-0.5-4TP	1,036.75	5.00	671254395800



- EFX300 Hardwired
- EFX350 Battery
- EFX375 Battery + solar
- EFX377 Battery + solar + LCD
- EFX380 Battery + turbine

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
BASYS® Low, Integrated Base - Active Infrared or Capacitance Sensor Faucet					
Infrared or capacitance, sensor-activated, electronic, chrome-plated die cast body, hand washing faucet for pre-tempered or hot/cold water operation with turbine power option. Note: All BASYS faucets are chrome plated zinc die cast and utilize active infrared sensing unless otherwise noted. Low Lead Compliant. CAP only BAA.					
3324050	EFX-600.000.0000	BASYS Faucet Low IB-HW-Bowed-0.5	614.25	5.00	671254399839
3324202	EFX-600.000.0040	BASYS Faucet Low IB-HW-Bowed-0.5-EAF37	687.95	5.00	671254399068
3324008	EFX-600.010.0010	BASYS Faucet Low IB-HW-Bowed-CAP-0.5-EAF11	687.95	5.00	671254394063
3324352	EFX-600.013.0010	BASYS Faucet Low IB-HW-Bowed-CAP-1.5 LAM-EAF11	348.10	5.00	671254406810
3324052	EFX-650.000.0000	BASYS Faucet Low IB-Batt-Bowed-0.5	577.40	5.00	671254395688
3324065	EFX-650.002.0000	BASYS Faucet Low IB-Batt-Bowed-1.5 AER	577.40	5.00	671254396166
3324318	EFX-650.003.0000	BASYS Faucet Low IB-Batt-Bowed-1.5 LAM	577.40	5.00	671254406704
3324001	EFX-650.010.0000	BASYS Faucet Low IB-Batt-Bowed-CAP-0.5	577.40	5.00	671254394032
3324036	EFX-650.012.0000	BASYS Faucet Low IB-Batt-Bowed-CAP-1.5 AER	577.40	5.00	671254394087
3324053	EFX-650.100.0000	BASYS Faucet Low IB-Batt-Bowed-BDM-0.5	616.75	5.00	671254396838
3324009	EFX-650.110.0000	BASYS Faucet Low IB-Batt-Bowed-BDM-CAP-0.5	616.70	5.00	671254394049
3324039	EFX-650.210.0000	BASYS Faucet Low IB-Batt-Bowed-BDT-CAP-0.5	852.65	5.00	671254394582
3324091	EFX-675.000.0000	BASYS Faucet Low IB-Solar-0.5	700.25	5.00	671254398061
3324228	EFX-675.002.0000	BASYS Faucet Low IB-Solar-1.5 AER	700.25	5.00	671254401631
3324319	EFX-675.003.0000	BASYS Faucet Low IB-Solar-1.5 LAM	700.25	2.42	671254406711
3324214	EFX-675.200.0000	BASYS Faucet Low IB-Solar-BDT-0.5	975.45	5.00	671254400276
3324320	EFX-677.003.0000	BASYS Faucet Low IB-Solar-LCD Solar-1.5 LAM	1,007.30	2.42	671254406728
3324268	EFX-680.010.0000	BASYS Faucet Low IB-Turbine-Bowed-1.5 LAM	700.25	5.00	671254406834
3324237	EFX-680.210.0000	BASYS Faucet Low IB-Turbine-Bowed-BDT-CAP-0.5	975.45	5.00	671254403215



EFX600	Hardwired
EFX650	Battery
EFX675	Battery + solar
EFX677	Battery + solar + LCD
EFX680	Battery + turbine

**Contact Your Local Sloan Representative

IB - Integrated Base; **HW** - Hardwire; **Batt** - Alkaline Battery; **Solar** - Solar Power; **CAP** - Capacitance; **LCD** - Solar+LCD Crown; **ISM** - Integral Temperature Control Spout Mixer; **BDM** - Below Deck Mixing Valve; **BDT** - Below Deck Thermostatic Mixing Valve; **0.5** - 0.5 gpm/1.9 Lpm Multi-Lam Spray Insert; **1.5 AER** - 1.5 gpm/5.7 Lpm Aerator; **1.5 AER** - 1.5 gpm/5.7 Lpm Laminar; **4TP** - 4" Trim Plate; **8TP** - 8" Trim Plate; **EAF11** - 6 VDC Plug-In Voltage Adapter; **EAF37** - 6 VDC Box-Mount Adapter, Turbine - Turbine Power

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
BASYS® Wall - Active Infrared Sensor Faucet					
Infrared, sensor-activated, electronic, chrome-plated die cast body, hand washing faucet for pre-tempered or hot/cold water operation. Lithium battery is for EFX-8XX only. Note: All BASYS faucets are chrome plated zinc die cast and utilize active infrared sensing unless otherwise noted. Low Lead Compliant.					
3324251	EFX-800.000.1010	BASYS Faucet Wall NPT1/2-HW-Bowed-0.5-EAF11	970.50	5.00	671254403819
3324055	EFX-800.002.1000	BASYS Faucet Wall NPT1/2-HW-Bowed-1.5 AER	896.80	5.00	671254395930
3324072	EFX-800.102.1040	BASYS Faucet Wall NPT1/2-HW-Bowed-BDM-1.5 AER-EAF37	1,009.90	5.00	671254398931
3324249	EFX-850.000.1000	BASYS Faucet Wall NPT1/2-Batt-Bowed-0.5	859.95	5.00	671254404250
3324056	EFX-850.002.1000	BASYS Faucet Wall NPT1/2-Batt-Bowed-1.5 AER	859.95	5.00	671254397804
3324232	EFX-850.202.1000	BASYS Faucet Wall NPT1/2-Batt-Bowed-BDT-1.5 AER	1,135.10	5.00	671254401921
3324286	EFX-875.000.1000	BASYS Faucet Wall NPT1/2-Solar-0.5	923.40	5.00	—
3324287	EFX-875.002.1000	BASYS Faucet Wall NPT1/2-Solar-1.5 AER	923.40	5.00	—
3324290	EFX-875.003.1000	BASYS Faucet Wall NPT1/2-Solar-1.5 LAM	923.40	5.00	—
3324288	EFX-877.000.1000	BASYS Faucet Wall NPT1/2-Solar-LCD Solar-0.5	1,289.90	5.00	—
3324289	EFX-877.002.1000	BASYS Faucet Wall NPT1/2-Solar-LCD Solar-1.5 AER	1,289.90	5.00	—
3324291	EFX-877.003.1000	BASYS Faucet Wall NPT1/2-Solar-LCD Solar-1.5 LAM	1,289.90	5.00	—



- EFX800 Hardwired
- EFX850 Battery
- EFX875 Battery + solar
- EFX877 Battery + solar + LCD

****Contact Your Local Sloan Representative**

IB - Integrated Base; **HW** - Hardwire; **Batt** - Alkaline Battery; **Solar** - Solar Power; **CAP** - Capacitance; **LCD** - Solar+LCD Crown; **ISM** - Integral Temperature Control Spout Mixer; **BDM** - Below Deck Mixing Valve; **BDT** - Below Deck Thermostatic Mixing Valve; **0.5** - 0.5 gpm/1.9 Lpm Multi-Lam Spray Insert; **1.5 AER** - 1.5 gpm/5.7 Lpm Aerator; **1.5 AER** - 1.5 gpm/5.7 Lpm Laminar; **4TP** - 4" Trim Plate; **8TP** - 8" Trim Plate; **EAF11** - 6 VDC Plug-In Voltage Adapter; **EAF37** - 6 VDC Box-Mount Adapter; Turbine - Turbine Power

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

ETF-80 Sensor-Activated Hand Washing Faucets

Includes 24 VAC operation, chrome plated brass lavatory faucet with engineered black throat plate, flow control spray head, in-spout sensor with splash-proof circuit control module, 24 VAC transformer (specify plug-in or box mount hardware), 24 VAC solenoid valve with integral "Y" filter. Low Lead Compliant.

3365320	ETF-80-4-P	Optima® Electronic Faucet – (1), (3), (5), (9)	697.30	8.20	671254231856
3365321	ETF-80-4-B	Optima® Electronic Faucet – (1), (2), (5), (9)	715.35	8.20	671254231863
3365022	ETF-80-4-LT	Optima® Electronic Faucet – (1), (4), (5), (9)	664.60	6.60	671254128040
3365314	ETF-80-4-P-ADM	Optima® Electronic Faucet – (3), (5), (9), (11)	943.00	9.40	671254231917
3365315	ETF-80-4-B-ADM	Optima® Electronic Faucet – (2), (5), (9), (11)	960.95	9.40	671254231924
3365316	ETF-80-4-LT-ADM	Optima® Electronic Faucet – (4), (5), (9), (11)	910.25	7.80	671254231931
3365308	ETF-80-4-P-BDM	Optima® Electronic Faucet – (3), (5), (9), (12)	732.55	8.10	671254231894
3365309	ETF-80-4-B-BDM	Optima® Electronic Faucet – (2), (5), (9), (12)	750.65	8.00	671254231986
3365310	ETF-80-4-LT-BDM	Optima® Electronic Faucet – (4), (5), (9), (12)	699.85	6.40	671254231993
3365229	ETF-80-4-P-BDT	Optima® Electronic Faucet – (3), (5), (9), (13)	862.90	9.20	671254238619
3365230	ETF-80-4-B-BDT	Optima® Electronic Faucet – (2), (5), (9), (13)	880.35	9.20	671254238626
3365231	ETF-80-4-LT-BDT	Optima® Electronic Faucet – (4), (5), (9), (13)	831.10	7.60	671254238633
3365322	ETF-80-8-P	Optima® Electronic Faucet – (1), (3), (5), (10)	732.40	8.70	671254231870
3365323	ETF-80-8-B	Optima® Electronic Faucet – (1), (2), (5), (10)	751.60	8.60	671254231887
3365298	ETF-80-8-LT	Optima® Electronic Faucet – (1), (4), (5), (10)	699.65	7.10	671254222809
3365317	ETF-80-8-P-ADM	Optima® Electronic Faucet – (3), (5), (10), (11)	977.80	9.60	671254231948
3365318	ETF-80-8-B-ADM	Optima® Electronic Faucet – (2), (5), (10), (11)	995.75	9.50	671254231962
3365319	ETF-80-8-LT-ADM	Optima® Electronic Faucet – (4), (5), (10), (11)	945.00	8.00	671254231979
3365311	ETF-80-8-P-BDM	Optima® Electronic Faucet – (3), (5), (10), (12)	767.65	8.50	671254232006
3365312	ETF-80-8-B-BDM	Optima® Electronic Faucet – (2), (5), (10), (12)	811.10	8.40	671254232013
3365313	ETF-80-8-LT-BDM	Optima® Electronic Faucet – (4), (5), (10), (12)	734.90	6.90	671254232020
3365232	ETF-80-8-P-BDT	Optima® Electronic Faucet – (3), (5), (10), (13)	896.95	9.70	671254238640
3365233	ETF-80-8-B-BDT	Optima® Electronic Faucet – (2), (5), (10), (13)	914.40	9.60	671254238657
3365234	ETF-80-8-LT-BDT	Optima® Electronic Faucet – (4), (5), (10), (13)	865.15	8.10	671254238664

EBF-85 Battery-Powered Sensor-Activated Faucets

Includes chrome plated brass lavatory faucet with engineered plastic throat plate, flow control spray head, fiber-optic adaptive sensor, water-tight circuit control module with integral filtered solenoid valve, 4 "C" cell Alkaline batteries. Low Lead Compliant.

3315010	EBF-85-4	Optima® Battery Faucet – (1), (5), (9)	834.60	7.50	671254128019
3315128	EBF-85-4-ADM	Optima® Battery Faucet – (5), (9), (11)	1,080.15	7.90	671254232044
3315130	EBF-85-4-BDM	Optima® Battery Faucet – (5), (9), (12)	869.80	6.70	671254232068
3315088	EBF-85-4-BDT	Optima® Battery Faucet – (5), (9), (13)	996.05	8.00	671254238718
3315047	EBF-85-8	Optima® Battery Faucet – (1), (5), (10)	869.60	8.00	671254143166
3315129	EBF-85-8-ADM	Optima® Battery Faucet – (5), (10), (11)	1,115.00	8.20	671254232051
3315131	EBF-85-8-BDM	Optima® Battery Faucet – (5), (10), (12)	904.65	7.20	671254232075
3315091	EBF-85-8-BDT	Optima® Battery Faucet – (5), (10), (13)	1,030.15	8.40	671254238725



ETF80 Hardwired
EBF85 Battery

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
ETF-880 Sensor-Activated Hand Washing Faucets with Metal Throat Plate					
Includes chrome plated brass lavatory faucet, flow control spray head, in-spout sensor with splash-proof circuit control module, 24 VAC transformer (specify plug-in or box mount hardware), 24 VAC solenoid valve with integral "Y" filter. Low Lead Compliant.					
3365023	ETF-880-4-B CP	Optima® Electronic Faucet – (1), (2), (5), (9)	751.15	6.70	671254263123
3365034	ETF-880-4-B-ADM CP	Optima® Electronic Faucet – (2), (5), (9), (11)	1,009.00	9.70	671254263185
3365137	ETF-880-4-B-BDM CP	Optima® Electronic Faucet – (2), (5), (9), (12)	786.40	8.40	671254263246
3365148	ETF-880-4-B-BDT CP	Optima® Electronic Faucet – (2), (5), (9), (13)	927.00	8.40	671254263307
3365027	ETF-880-4-LT CP	Optima® Electronic Faucet – (1), (5), (9)	697.85	5.20	671254263130
3365131	ETF-880-4-LT-ADM CP	Optima® Electronic Faucet – (5), (9), (11)	955.75	8.20	671254263192
3365142	ETF-880-4-LT-BDM CP	Optima® Electronic Faucet – (5), (9), (12)	733.10	6.80	671254263253
3365154	ETF-880-4-LT-BDT CP	Optima® Electronic Faucet – (5), (9), (13)	875.30	6.90	671254263314
3365013	ETF-880-4-P CP	Optima® Electronic Faucet – (1), (3), (5), (9)	732.20	6.40	671254263116
3365033	ETF-880-4-P-ADM CP	Optima® Electronic Faucet – (3), (5), (9), (11)	990.15	9.50	671254263178
3365136	ETF-880-4-P-BDM CP	Optima® Electronic Faucet – (3), (5), (9), (12)	767.50	8.10	671254263239
3365146	ETF-880-4-P-BDT CP	Optima® Electronic Faucet – (3), (5), (9), (13)	908.70	8.20	671254263291
3365031	ETF-880-8-B CP	Optima® Electronic Faucet – (1), (2), (5), (10)	781.40	7.10	671254263154
3365134	ETF-880-8-B-ADM CP	Optima® Electronic Faucet – (2), (5), (10), (11)	1,043.85	10.00	671254263215
3365144	ETF-880-8-B-BDM CP	Optima® Electronic Faucet – (2), (5), (10), (12)	816.65	8.80	671254263277
3365156	ETF-880-8-B-BDT CP	Optima® Electronic Faucet – (2), (5), (10), (13)	956.40	8.70	671254263338
3365032	ETF-880-8-LT CP	Optima® Electronic Faucet – (1), (5), (10)	728.10	5.60	671254263161
3365135	ETF-880-8-LT-ADM CP	Optima® Electronic Faucet – (5), (10), (11)	990.50	8.40	671254263222
3365145	ETF-880-8-LT-BDM CP	Optima® Electronic Faucet – (5), (10), (12)	763.35	7.30	671254263284
3365157	ETF-880-8-LT-BDT CP	Optima® Electronic Faucet – (5), (10), (13)	904.70	7.10	671254263345
3365028	ETF-880-8-P CP	Optima® Electronic Faucet – (1), (3), (5), (10)	762.50	6.90	671254263147
3365133	ETF-880-8-P-ADM CP	Optima® Electronic Faucet – (3), (5), (10), (11)	1,025.00	9.70	671254263208
3365143	ETF-880-8-P-BDM CP	Optima® Electronic Faucet – (3), (5), (10), (12)	797.70	8.50	671254263260
3365155	ETF-880-8-P-BDT CP	Optima® Electronic Faucet – (3), (5), (10), (13)	938.10	8.40	671254263321
EBF-187 Battery-Powered Sensor-Activated Hand Washing Faucets with Metal Throat Plate					
Includes chrome plated brass lavatory faucet with engineered metal throat plate, flow control spray head, fiber-optic adaptive sensor, water-tight circuit control module with integral filtered solenoid valve, 4 "C" cell alkaline batteries. Low Lead Compliant.					
3315107	EBF-187-4	Optima® Battery Faucet – (1), (5), (9)	877.85	7.90	671254220966
3315144	EBF-187-4-ADM	Optima® Battery Faucet – (5), (9), (11)	1,134.15	8.50	671254232181
3315146	EBF-187-4-BDM	Optima® Battery Faucet – (5), (9), (12)	913.10	7.10	671254232204
3315094	EBF-187-4-BDT	Optima® Battery Faucet – (5), (9), (13)	1,048.55	8.30	671254238756
3315141	EBF-187-8	Optima® Battery Faucet – (1), (5), (10)	908.20	8.20	671254232150
3315145	EBF-187-8-ADM	Optima® Battery Faucet – (5), (10), (11)	1,168.95	8.70	671254232198
3315147	EBF-187-8-BDM	Optima® Battery Faucet – (5), (10), (12)	943.40	7.50	671254232211
3315095	EBF-187-8-BDT	Optima® Battery Faucet – (5), (10), (13)	1,078.00	8.80	671254238763



ETF880 Hardwired
EBF187 Battery

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
ETF-500 Sensor-Activated Back Mount Gooseneck Faucets					
Includes 24 VAC operation, chrome plated brass wall mount gooseneck faucet, spray head or showerhead, in-spout sensor with splash-proof circuit control module, 24 VAC transformer (specify plug-in or box mount hardware), 24 VAC solenoid valve with integral "Y" filter. Low Lead Compliant.					
3365340	ETF-500-P	Optima® Electronic Back Mount Gooseneck Faucet – (1), (3), (6)	876.70	8.40	671254234734
3365341	ETF-500-B	Optima® Electronic Back Mount Gooseneck Faucet – (1), (2), (6)	895.70	8.30	671254234741
3365284	ETF-500-LT	Optima® Electronic Back Mount Gooseneck Faucet – (1), (4), (6)	842.40	6.80	671254219649
3365342	ETF-500-H-P	Optima® Electronic Back Mount Gooseneck Faucet – (1), (3), (8)	955.15	9.10	671254234758
3365343	ETF-500-H-B	Optima® Electronic Back Mount Gooseneck Faucet – (1), (2), (8)	974.05	9.00	671254234765
3365344	ETF-500-H-LT	Optima® Electronic Back Mount Gooseneck Faucet – (1), (4), (8)	920.80	7.50	671254234772
3365335	ETF-500-S-P	Optima® Electronic Back Mount Gooseneck Faucet – (1), (3), (6), (7)	883.45	8.20	671254234680
3365336	ETF-500-S-B	Optima® Electronic Back Mount Gooseneck Faucet – (1), (2), (6), (7)	902.35	8.70	671254234697
3365285	ETF-500-S LT	Optima® Electronic Back Mount Gooseneck Faucet – (1), (4), (6), (7)	849.10	6.60	671254219656
3365337	ETF-500-S-H-P	Optima® Electronic Back Mount Gooseneck Faucet – (1), (3), (7), (8)	961.90	8.80	671254234703
3365338	ETF-500-S-H-B	Optima® Electronic Back Mount Gooseneck Faucet – (1), (2), (7), (8)	980.70	8.70	671254234710
3365339	ETF-500-S-H-LT	Optima® Electronic Back Mount Gooseneck Faucet – (1), (4), (7), (8)	927.50	7.20	671254234727
3365364	ETF-500-P-BDM	Optima® Electronic Back Mount Gooseneck Faucet – (3), (6), (12)	911.95	8.30	671254234581
3365367	ETF-500-B-BDM	Optima® Electronic Back Mount Gooseneck Faucet – (2), (6), (12)	931.00	8.20	671254234598
3365371	ETF-500-LT-BDM	Optima® Electronic Back Mount Gooseneck Faucet – (4), (6), (12)	877.65	6.70	671254234604
3365374	ETF-500-H-P-BDM	Optima® Electronic Back Mount Gooseneck Faucet – (3), (8), (12)	990.35	8.90	671254234611
3365378	ETF-500-H-B-BDM	Optima® Electronic Back Mount Gooseneck Faucet – (2), (8), (12)	1,009.30	8.80	671254234628
3365382	ETF-500-H-LT-BDM	Optima® Electronic Back Mount Gooseneck Faucet – (4), (8), (12)	956.00	7.30	671254234635
3365345	ETF-500-S-P-BDM	Optima® Electronic Back Mount Gooseneck Faucet – (3), (6), (7), (12)	918.75	8.00	671254234529
3365346	ETF-500-S-B-BDM	Optima® Electronic Back Mount Gooseneck Faucet – (2), (6), (7), (12)	937.60	8.00	671254234536
3365352	ETF-500-S LT-BDM	Optima® Electronic Back Mount Gooseneck Faucet – (4), (6), (7), (12)	884.35	6.40	671254234543
3365353	ETF-500-S-H-P-BDM	Optima® Electronic Back Mount Gooseneck Faucet – (3), (7), (8), (12)	997.10	8.70	671254234550
3365357	ETF-500-S-H-B-BDM	Optima® Electronic Back Mount Gooseneck Faucet – (3), (7), (8), (12)	1,015.90	8.60	671254234567
3365360	ETF-500-S-H-LT-BDM	Optima® Electronic Back Mount Gooseneck Faucet – (4), (7), (8), (12)	962.65	7.00	671254234574
3365235	ETF-500-P-BDT	Optima® Electronic Back Mount Gooseneck Faucet – (3), (6), (13)	1,049.00	9.50	671254239074
3365236	ETF-500-B-BDT	Optima® Electronic Back Mount Gooseneck Faucet – (2), (6), (13)	1,067.40	9.40	671254239081
3365237	ETF-500-LT-BDT	Optima® Electronic Back Mount Gooseneck Faucet – (4), (6), (13)	1,015.65	7.80	671254239098
3365238	ETF-500-H-P-BDT	Optima® Electronic Back Mount Gooseneck Faucet – (3), (8), (13)	1,125.10	10.10	671254239104
3365239	ETF-500-H-B-BDT	Optima® Electronic Back Mount Gooseneck Faucet – (2), (8), (13)	1,143.50	10.00	671254239418
3365240	ETF-500-H-LT-BDT	Optima® Electronic Back Mount Gooseneck Faucet – (4), (8), (13)	1,091.75	8.50	671254239425
3365241	ETF-500-S-P-BDT	Optima® Electronic Back Mount Gooseneck Faucet – (3), (6), (7), (13)	1,055.55	9.20	671254239432
3365242	ETF-500-S-B-BDT	Optima® Electronic Back Mount Gooseneck Faucet – (2), (6), (7), (13)	1,073.95	9.10	671254239449
3365243	ETF-500-S LT-BDT	Optima® Electronic Back Mount Gooseneck Faucet – (4), (6), (7), (13)	1,022.15	7.60	671254239456
3365244	ETF-500-S-H-P-BDT	Optima® Electronic Back Mount Gooseneck Faucet – (3), (7), (8), (13)	1,131.65	9.80	671254239463
3365245	ETF-500-S-H-B-BDT	Optima® Electronic Back Mount Gooseneck Faucet – (2), (7), (8), (13)	1,150.00	9.80	671254239470
3365246	ETF-500-S-H-LT-BDT	Optima® Electronic Back Mount Gooseneck Faucet – (4), (7), (8), (13)	1,098.20	8.20	671254239487
3365343	ETF-500-H-B CP	Optima® Electronic Back Mount Gooseneck Faucet - (2), (8)	974.00	8.53	671254234765
3365378	ETF-500-H-B-BDM CP	Optima® Electronic Back Mount Gooseneck Faucet - (2), (8), (12)	1,009.30	8.78	671254234628
3365239	ETF-500-H-B-BDT CP	Optima® Electronic Back Mount Gooseneck Faucet - (2), (8), (13)	1,177.80	9.13	671254239418



ETF500 Hardwired
EBF550 Battery



ETF500-H Hardwired
EBF550-H Battery



ETF500-S-H Hardwired
EBF550-S-H Battery

**Contact Your Local Sloan Representative

(1) Bak Check (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
3365382	ETF-500-H-LT-BDM CP	Optima® Electronic Back Mount Gooseneck Faucet - (4), (8), (12)	956.00	7.34	671254234635
3365240	ETF-500-H-LT-BDT CP	Optima® Electronic Back Mount Gooseneck Faucet - (4), (8), (13)	1,124.50	7.68	671254239425
3365342	ETF-500-H-P CP	Optima® Electronic Back Mount Gooseneck Faucet - (3), (8)	955.10	8.49	671254234758
3365374	ETF-500-H-P-BDM CP	Optima® Electronic Back Mount Gooseneck Faucet - (3), (8), (12)	990.35	8.74	671254234611
3365238	ETF-500-H-P-BDT CP	Optima® Electronic Back Mount Gooseneck Faucet - (3), (8), (13)	1,158.85	9.08	671254239104
3365651	ETF-500-LT CP	Optima® Electronic Back Mount Gooseneck Faucet - (4)	842.40	6.44	671254437517
3365645	ETF-500-LT CP	Optima® Electronic Back Mount Gooseneck Faucet - (4)	842.40	6.44	671254433687
3365338	ETF-500S-H-B CP	Optima® Electronic Back Mount Gooseneck Faucet - (2), (8)	980.65	8.56	671254234710
3365357	ETF-500S-H-B-BDM CP	Optima® Electronic Back Mount Gooseneck Faucet - (2), (8), (12)	1,015.90	8.81	671254234567
3365245	ETF-500S-H-B-BDT CP	Optima® Electronic Back Mount Gooseneck Faucet - (2), (8), (13)	1,184.50	9.16	671254239470
3365360	ETF-500S-H-LT-BDM CP	Optima® Electronic Back Mount Gooseneck Faucet - (4), (8), (12)	962.65	7.37	671254234574
3365246	ETF-500S-H-LT-BDT CP	Optima® Electronic Back Mount Gooseneck Faucet - (4), (8), (13)	1,131.15	7.71	671254239487
3365337	ETF-500S-H-P CP	Optima® Electronic Back Mount Gooseneck Faucet - (3), (8)	961.85	8.52	671254234703
3365353	ETF-500S-H-P-BDM CP	Optima® Electronic Back Mount Gooseneck Faucet - (3), (8), (12)	997.10	8.77	671254234550
3365244	ETF-500S-H-P-BDT CP	Optima® Electronic Back Mount Gooseneck Faucet - (3), (8), (13)	1,165.60	9.11	671254239463

EBF-550 Battery-Powered Sensor-Activated Wall Mount Gooseneck Faucets

Includes chrome plated brass wall mount gooseneck faucet, 2.2 gpm/8.3 Lpm laminar spray head or showerhead, in-spout sensor with splash-proof circuit control module with integral filtered solenoid valve, 4 "AA" alkaline batteries. Low Lead Compliant.

3315156	EBF-550	Optima® Battery Back Mount Gooseneck Faucet - (1), (6)	975.15	8.00	671254234642
3315157	EBF-550-H	Optima® Battery Back Mount Gooseneck Faucet - (1), (8)	1,053.55	8.60	671254234659
3315158	EBF-550-S	Optima® Battery Back Mount Gooseneck Faucet - (1), (6), (7)	981.85	7.80	671254234666
3315159	EBF-550-S-H	Optima® Battery Back Mount Gooseneck Faucet - (1), (7), (8)	1,060.30	8.40	671254234673
3315160	EBF-550-S-BDM	Optima® Battery Back Mount Gooseneck Faucet - (6), (7), (12)	1,017.10	6.90	671254234482
3315161	EBF-550-S-H BDM	Optima® Battery Back Mount Gooseneck Faucet - (7), (8), (12)	1,095.55	7.80	671254234499
3315162	EBF-550-BDM	Optima® Battery Back Mount Gooseneck Faucet - (6), (12)	1,010.35	7.40	671254234505
3315163	EBF-550-H BDM	Optima® Battery Back Mount Gooseneck Faucet - (8), (12)	1,220.75	8.00	671254234512
3315098	EBF-550-BDT	Optima® Battery Back Mount Gooseneck Faucet - (6), (13)	1,144.65	8.60	671254239494
3315099	EBF-550-H-BDT	Optima® Battery Back Mount Gooseneck Faucet - (8), (13)	1,088.80	9.20	671254239500
3315101	EBF-550-S-BDT	Optima® Battery Back Mount Gooseneck Faucet - (6), (7), (13)	1,151.10	8.00	671254239517
3315180	EBF-550-S-H-BDT	Optima® Battery Back Mount Gooseneck Faucet - (7), (8), (13)	1,227.20	9.00	671254239524
3315312	EBF-550 CP	Optima® Battery Back Mount Gooseneck Faucet - (8)	975.10	6.21	671254433618
3315099	EBF-550-H-BDM CP	Optima® Battery Back Mount Gooseneck Faucet - (8), (12)	1,088.75	8.18	671254239500
3315163	EBF-550-H-BDT CP	Optima® Battery Back Mount Gooseneck Faucet - (8), (13)	1,257.35	7.83	671254234512
3315161	EBF-550S-H-BDM CP	Optima® Battery Back Mount Gooseneck Faucet - (7), (8), (12)	1,095.50	7.94	671254234499
3315180	EBF-550S-H-BDT CP	Optima® Battery Back Mount Gooseneck Faucet - (7), (8), (13)	1,264.00	8.28	671254239524



ETF500 Hardwired
EBF550 Battery



ETF500-H Hardwired
EBF550-H Battery



ETF500-S-H Hardwired
EBF550-S-H Battery

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve - MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve - MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve - MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve - MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

ETF-600 – 4” Centerset Sensor-Activated Hand Washing Faucets

Includes chrome plated brass lavatory faucet, flow control spray head, in-spout sensor with splash-proof circuit control module. 24 VAC transformer (specify plug-in or box mount hardwire), 24 VAC solenoid valve with integral “Y” filter. Low Lead Compliant.

3365330	ETF-600-P	Optima® Electronic Faucet – (1), (3), (5)	624.75	10.10	671254234109
3365331	ETF-600-B	Optima® Electronic Faucet – (1), (2), (5)	643.70	10.00	671254234116
3365055	ETF-600-LT	Optima® Electronic Faucet – (1), (4), (5)	590.50	8.50	671254136038
3365324	ETF-600-P-BDM	Optima® Electronic Faucet – (3), (5), (12)	660.05	9.90	671254234048
3365325	ETF-600-B-BDM	Optima® Electronic Faucet – (2), (5), (12)	678.95	9.80	671254234055
3365326	ETF-600-LT-BDM	Optima® Electronic Faucet – (4), (5), (12)	625.75	8.30	671254234062
3365247	ETF-600-P-BDT	Optima® Electronic Faucet – (3), (5), (13)	804.45	11.10	671254238817
3365248	ETF-600-B-BDT	Optima® Electronic Faucet – (2), (5), (13)	822.80	11.00	671254238824
3365249	ETF-600-LT-BDT	Optima® Electronic Faucet – (4), (5), (13)	771.15	9.40	671254238848
3365332	ETF-600-8-P	Optima® Electronic Faucet – (1), (3), (5)	702.50	10.60	671254234123
3365333	ETF-600-8-B	Optima® Electronic Faucet – (1), (2), (5)	721.50	10.50	671254234130
3365334	ETF-600-8-LT	Optima® Electronic Faucet – (1), (4), (5)	668.20	9.00	671254234147
3365327	ETF-600-8-P-BDM	Optima® Electronic Faucet – (3), (5), (10), (12)	737.70	10.40	671254234079
3365328	ETF-600-8-B-BDM	Optima® Electronic Faucet – (2), (5), (10), (12)	756.65	10.40	671254234086
3365329	ETF-600-8-LT-BDM	Optima® Electronic Faucet – (4), (5), (10), (12)	703.45	8.80	671254234093
3365250	ETF-600-8-P-BDT	Optima® Electronic Faucet – (3), (5), (10), (13)	879.90	11.60	671254238855
3365263	ETF-600-8-B-BDT	Optima® Electronic Faucet – (2), (5), (10), (13)	898.25	11.50	671254238862
3365264	ETF-600-8-LT-BDT	Optima® Electronic Faucet – (4), (5), (10), (13)	846.60	10.00	671254238879

EBF-650 Battery-Powered 4” Centerset Sensor-Activated Hand Washing Faucets

Includes chrome plated brass 4” centerset lavatory faucet, flow control spray head, water-tight control module with integral filtered solenoid valve, 4 “AA” Alkaline batteries. Low Lead Compliant.

3315025	EBF-650	Optima® Battery Faucet – (1), (5)	723.15	7.50	671254141452
3315137	EBF-650-BDM	Optima® Battery Faucet – (5), (12)	758.40	6.80	671254233508
3315183	EBF-650-BDT	Optima® Battery Faucet – (5), (13)	899.90	8.00	671254238886
3315139	EBF-650-8	Optima® Battery Faucet – (1), (5), (10)	800.90	8.00	671254233492
3315138	EBF-650-8-BDM	Optima® Battery Faucet – (5), (10), (12)	836.15	7.40	671254233515
3315184	EBF-650-8-BDT	Optima® Battery Faucet – (5), (10), (13)	975.35	8.60	671254238893
3315300	EBF-655 BAA	Optima® Battery Faucet – (1), (5)	723.15	7.50	67125433512



ETF600 Hardwired
EBF650 Battery
EBF655 Battery, BAA compliance

****Contact Your Local Sloan Representative**

(1) Bak Check (2) Box Transformer “B” (3) Plug-In Transformer “P” (4) Less Transformer “LT” (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout “S” (8) Shower Head Spray 2.2 gpm/8.3 Lpm “H” (9) 4” Trim Plate (10) 8” Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate “ADM” (12) Below Deck Mixing Valve – MIX-60-A “BDM” (13) Below Deck Thermostatic Mixing Valve – MIX-135-A “BDT” (14) Integral Temperature Control Spout Mixer “ISM” (15) Drain Pop Up “DPU” (16) Optima i.q.®-cliq button “IC” (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 “ADT”

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

ETF-610 Sensor-Activated Hand Washing Faucets

Includes chrome plated brass pedestal lavatory faucet, flow control spray head, In-Spout sensor with splash-proof circuit control module, 24 VAC transformer (specify plug-in or box mount hardware), 24 VAC solenoid valve with integral "Y" filter. Low Lead Compliant.

3365163	ETF-610-4-P	Optima® Electronic Faucet – (1), (3), (5), (9)	637.25	7.60	671254234253
3365164	ETF-610-4-B	Optima® Electronic Faucet – (1), (2), (5), (9)	655.25	7.50	671254234260
3365293	ETF-610-4-LT	Optima® Electronic Faucet – (1), (4), (5), (9)	604.70	6.00	671254224933
3365168	ETF-610-4-P-BDM	Optima® Electronic Faucet – (3), (5), (9), (11)	670.75	7.40	671254234185
3365169	ETF-610-4-B-BDM	Optima® Electronic Faucet – (2), (5), (9), (11)	688.80	7.30	671254234192
3365170	ETF-610-4-LT-BDM	Optima® Electronic Faucet – (4), (5), (9), (11)	638.15	5.80	671254234208
3365266	ETF-610-4-P-BDT	Optima® Electronic Faucet – (3), (5), (9), (13)	804.00	8.60	671254238909
3365267	ETF-610-4-B-BDT	Optima® Electronic Faucet – (2), (5), (9), (13)	821.50	8.50	671254238916
3365268	ETF-610-4-LT-BDT	Optima® Electronic Faucet – (4), (5), (9), (13)	772.45	7.00	671254238923
3365165	ETF-610-8-P	Optima® Electronic Faucet – (1), (3), (5), (10)	683.85	7.80	671254234277
3365166	ETF-610-8-B	Optima® Electronic Faucet – (1), (2), (5), (10)	701.80	7.70	671254234284
3365167	ETF-610-8-LT	Optima® Electronic Faucet – (1), (4), (5), (10)	651.15	6.20	671254234291
3365174	ETF-610-8-P-ADM	Optima® Electronic Faucet – (3), (5), (10), (11)	937.05	9.20	671254234154
3365175	ETF-610-8-B-ADM	Optima® Electronic Faucet – (2), (5), (10), (11)	955.05	9.20	671254234161
3365176	ETF-610-8-LT-ADM	Optima® Electronic Faucet – (4), (5), (10), (11)	904.35	7.60	671254234178
3365171	ETF-610-8-P-BDM	Optima® Electronic Faucet – (3), (5), (10), (12)	988.10	7.60	671254234215
3365172	ETF-610-8-B-BDM	Optima® Electronic Faucet – (2), (5), (10), (12)	1,006.10	7.60	671254234222
3365173	ETF-610-8-LT-BDM	Optima® Electronic Faucet – (4), (5), (10), (12)	693.45	6.00	671254234246
3365269	ETF-610-8-P-BDT	Optima® Electronic Faucet – (3), (5), (10), (13)	643.75	8.80	671254238930
3365270	ETF-610-8-B-BDT	Optima® Electronic Faucet – (2), (5), (10), (13)	661.20	8.70	671254238947
3365271	ETF-610 LT-BDT	Optima® Electronic Faucet – (4), (5), (10), (13)	612.05	7.20	671254238954

EBF-615 Battery-Powered Deck-Mounted Sensor-Activated Hand Washing Faucets

Includes chrome plated brass pedestal lavatory faucet, flow control spray head, in-spout sensor, water-tight circuit control module with integral filtered solenoid valve, 4 "AA" Alkaline batteries. Low Lead Compliant.

3315114	EBF-615-4	Optima® Battery Faucet – (1), (5), (9)	652.70	7.50	671254224940
3315154	EBF-615-4-BDM	Optima® Battery Faucet – (5), (9), (12)	687.90	7.60	671254233454
3315181	EBF-615-4-BDT	Optima® Battery Faucet – (5), (9), (13)	807.10	8.80	671254238961
3315152	EBF-615-8	Optima® Battery Faucet – (1), (5), (10)	701.65	7.70	671254233416
3315155	EBF-615-8-BDM	Optima® Battery Faucet – (5), (10), (12)	736.90	7.80	671254233461
3315153	EBF-615-8-ADM	Optima® Battery Faucet – (5), (10), (11)	954.90	8.70	671254233430
3315182	EBF-615-8-BDT	Optima® Battery Faucet – (5), (10), (13)	854.50	9.00	671254238978
3315302	EBF-625-4 BAA	Optima® Battery Faucet – (1), (5), (9)	685.35	7.50	671254348202



ETF610 Hardwired
EBF615 Battery
EBF625 Battery, BAA compliance

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
ETF-660 On-Q® Sensor-Activated Hand Washing Faucets					
Includes chrome plated brass lavatory faucet, flow control spray head, On-Q® sensor with splash-proof circuit control module, 24 VAC transformer (specify plug-in or box mount hardware), 24 VAC solenoid valve with integral "Y" filter. Low Lead Compliant.					
3365423	ETF-660-4-P	Optima® Electronic Faucet – (1), (3), (9)	655.25	7.50	671254235366
3365424	ETF-660-4-B	Optima® Electronic Faucet – (1), (2), (9)	674.15	7.50	671254235373
3365020	ETF-660-4-LT	Optima® Electronic Faucet – (1), (4), (9)	601.30	5.90	671254128026
3365385	ETF-660-4-P-ADM	Optima® Electronic Faucet – (3), (5), (9), (11)	913.15	8.70	671254235472
3365389	ETF-660-4-B-ADM	Optima® Electronic Faucet – (2), (5), (9), (11)	932.00	8.60	671254235489
3365393	ETF-660-4-LT-ADM	Optima® Electronic Faucet – (4), (5), (9), (11)	878.75	7.10	671254235496
3365405	ETF-660-4-P-BDM	Optima® Electronic Faucet – (3), (5), (9), (12)	690.55	7.50	671254235533
3365406	ETF-660-4-B-BDM	Optima® Electronic Faucet – (2), (5), (9), (12)	709.40	7.50	671254235540
3365407	ETF-660-4-LT-BDM	Optima® Electronic Faucet – (4), (5), (9), (12)	656.10	5.90	671254235557
3365272	ETF-660-4-P-BDT	Optima® Electronic Faucet – (3), (5), (9), (13)	833.95	8.70	671254238985
3365273	ETF-660-4-B-BDT	Optima® Electronic Faucet – (2), (5), (9), (13)	852.25	8.60	671254238992
3365274	ETF-660-4-LT-BDT	Optima® Electronic Faucet – (4), (5), (9), (13)	800.55	7.10	671254239005
3365425	ETF-660-8-P	Optima® Electronic Faucet – (1), (3), (10)	690.25	7.90	671254235380
3365426	ETF-660-8-B	Optima® Electronic Faucet – (1), (2), (10)	709.25	7.80	671254235397
3365427	ETF-660-8-LT	Optima® Electronic Faucet – (1), (4), (10)	655.85	6.30	671254235403
3365397	ETF-660-8-P-ADM	Optima® Electronic Faucet – (3), (5), (10), (11)	931.90	9.10	671254235502
3365403	ETF-660-8-B-ADM	Optima® Electronic Faucet – (2), (5), (10), (11)	950.75	9.00	671254235519
3365404	ETF-660-8-LT-ADM	Optima® Electronic Faucet – (4), (5), (10), (11)	897.50	7.40	671254235526
3365408	ETF-660-8-P-BDM	Optima® Electronic Faucet – (3), (5), (10), (12)	725.50	7.90	671254235564
3365409	ETF-660-8-B-BDM	Optima® Electronic Faucet – (2), (5), (10), (12)	744.45	7.80	671254235571
3365410	ETF-660-8-LT-BDM	Optima® Electronic Faucet – (4), (5), (10), (12)	691.10	6.30	671254235588
3365275	ETF-660-8-P-BDT	Optima® Electronic Faucet – (3), (5), (10), (13)	868.00	9.10	671254239616
3365276	ETF-660-8-B-BDT	Optima® Electronic Faucet – (2), (5), (10), (13)	886.30	9.00	671254239623
3365277	ETF-660-8-LT-BDT	Optima® Electronic Faucet – (4), (5), (10), (13)	834.60	7.40	671254239630



ETF660 Hardwired with side sensor

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
ETF-700 Sensor-Activated Deck Mount Gooseneck Faucets					
Includes chrome plated brass deck mount faucet, spray head or showerhead, in-spout sensor with splash-proof circuit control module, 24 VAC transformer (specify plug-in or box mount hardware), 24 VAC solenoid valve with integral "Y" filter. Low Lead Compliant.					
3365177	ETF-700-4-P	Optima® Electronic Gooseneck Faucet – (1), (3), (6), (9)	799.55	8.20	671254233522
3365178	ETF-700-4-B	Optima® Electronic Gooseneck Faucet – (1), (2), (6), (9)	818.45	8.10	671254233539
3365286	ETF-700-4-LT	Optima® Electronic Gooseneck Faucet – (1), (4), (6), (9)	765.20	6.60	671254219625
3365010	ETF-700-H-4-P	Optima® Electronic Gooseneck Faucet – (1), (3), (8), (9)	877.95	8.80	671254136113
3365011	ETF-700-H-4-B	Optima® Electronic Gooseneck Faucet – (1), (2), (8), (9)	914.25	8.80	671254136120
3365115	ETF-700-H-4-LT	Optima® Electronic Gooseneck Faucet – (1), (4), (8), (9)	843.55	7.20	671254146587
3365193	ETF-700-4-P-BDM	Optima® Electronic Gooseneck Faucet – (3), (6), (9), (12)	834.85	6.10	671254233683
3365194	ETF-700-4-B-BDM	Optima® Electronic Gooseneck Faucet – (2), (6), (9), (12)	853.70	6.10	671254233690
3365195	ETF-700-4-LT-BDM	Optima® Electronic Gooseneck Faucet – (4), (6), (9), (12)	800.45	4.50	671254233706
3365196	ETF-700-H-4-P-BDM	Optima® Electronic Gooseneck Faucet – (3), (8), (9), (12)	913.15	6.70	671254233775
3365197	ETF-700-H-4-B-BDM	Optima® Electronic Gooseneck Faucet – (2), (8), (9), (12)	949.55	6.70	671254233782
3365198	ETF-700-H-4-LT-BDM	Optima® Electronic Gooseneck Faucet – (4), (8), (9), (12)	878.75	5.10	671254233799
3365278	ETF-700-4-P-BDT	Optima® Electronic Gooseneck Faucet – (3), (6), (9), (13)	974.05	7.30	671254239111
3365279	ETF-700-4-B-BDT	Optima® Electronic Gooseneck Faucet – (2), (6), (9), (13)	992.40	7.20	671254239128
3365280	ETF-700-4-LT-BDT	Optima® Electronic Gooseneck Faucet – (4), (6), (9), (13)	940.65	5.70	671254239135
3365434	ETF-700-H-4-P-BDT	Optima® Electronic Gooseneck Faucet – (3), (8), (9), (13)	1,050.10	7.90	671254239173
3365435	ETF-700-H-4-B-BDT	Optima® Electronic Gooseneck Faucet – (2), (8), (9), (13)	1,068.55	7.80	671254239180
3365436	ETF-700-H-4-LT-BDT	Optima® Electronic Gooseneck Faucet – (4), (8), (9), (13)	1,016.70	6.30	671254239197
3365179	ETF-700-8-P	Optima® Electronic Gooseneck Faucet – (1), (3), (6), (10)	853.45	8.50	671254233546
3365180	ETF-700-8-B	Optima® Electronic Gooseneck Faucet – (1), (2), (6), (10)	872.25	8.40	671254233553
3365181	ETF-700-8-LT	Optima® Electronic Gooseneck Faucet – (1), (4), (6), (10)	819.00	6.80	671254233560
3365182	ETF-700-H-8-P	Optima® Electronic Gooseneck Faucet – (1), (3), (8), (10)	931.75	9.10	671254233577
3365183	ETF-700-H-8-B	Optima® Electronic Gooseneck Faucet – (1), (2), (8), (10)	968.10	9.00	671254233584
3365184	ETF-700-H-8-LT	Optima® Electronic Gooseneck Faucet – (1), (4), (8), (10)	897.30	7.40	671254233591
3365223	ETF-700-8-P-ADM	Optima® Electronic Gooseneck Faucet – (3), (6), (10), (11)	1,178.65	8.00	671254233744
3365224	ETF-700-8-B-ADM	Optima® Electronic Gooseneck Faucet – (2), (6), (10), (11)	1,197.45	7.90	671254233751
3365225	ETF-700-8-LT-ADM	Optima® Electronic Gooseneck Faucet – (4), (6), (10), (11)	1,144.20	6.40	671254233768
3365226	ETF-700-H-8-P-ADM	Optima® Electronic Gooseneck Faucet – (3), (8), (10), (11)	1,257.00	8.60	671254233836
3365227	ETF-700-H-8-B-ADM	Optima® Electronic Gooseneck Faucet – (2), (8), (10), (11)	1,293.30	8.50	671254233843
3365228	ETF-700-H-8-LT-ADM	Optima® Electronic Gooseneck Faucet – (4), (8), (10), (11)	1,222.55	7.00	671254233850
3365199	ETF-700-8-P-BDM	Optima® Electronic Gooseneck Faucet – (3), (6), (10), (12)	888.65	6.40	671254233713
3365200	ETF-700-8-B-BDM	Optima® Electronic Gooseneck Faucet – (2), (6), (10), (12)	907.50	6.30	671254233720
3365201	ETF-700-8-LT-BDM	Optima® Electronic Gooseneck Faucet – (4), (6), (10), (12)	854.20	4.70	671254233737
3365202	ETF-700-H-8-P-BDM	Optima® Electronic Gooseneck Faucet – (3), (8), (10), (12)	967.00	7.00	671254233805
3365203	ETF-700-H-8-B-BDM	Optima® Electronic Gooseneck Faucet – (2), (8), (10), (12)	1,003.30	6.90	671254233812
3365204	ETF-700-H-8-LT-BDM	Optima® Electronic Gooseneck Faucet – (4), (8), (10), (12)	932.55	5.40	671254233829
3365281	ETF-700-8-P-BDT	Optima® Electronic Gooseneck Faucet – (3), (6), (10), (13)	1,026.35	7.50	671254239142
3365282	ETF-700-8-B-BDT	Optima® Electronic Gooseneck Faucet – (2), (6), (10), (13)	1,044.65	7.50	671254239159
3365433	ETF-700-8-LT-BDT	Optima® Electronic Gooseneck Faucet – (4), (6), (10), (13)	992.90	5.70	671254239166
3365437	ETF-700-H-8-P-BDT	Optima® Electronic Gooseneck Faucet – (3), (8), (10), (13)	1,102.40	8.20	671254239203
3365438	ETF-700-H-8-B-BDT	Optima® Electronic Gooseneck Faucet – (2), (8), (10), (13)	1,120.80	8.10	671254239210
3365439	ETF-700-H-8-LT-BDT	Optima® Electronic Gooseneck Faucet – (4), (8), (10), (13)	1,068.95	6.50	671254239227



ETF700 Hardwired
EBF750 Battery
EBF755 Battery, BAA compliance



ETF700-S Hardwired with Surgical Bend Spout
EBF750-S Battery with Surgical Bend Spout




ETF700-H Hardwired with Shower Spout
EBF750-H Battery with Shower Spout

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
3365652	ETF-700-4-LT CP	Optima® Electronic Gooseneck Faucet – (4), (9)	765.20	5.20	671254437524
3365646	ETF-700-4-LT CP	Optima® Electronic Gooseneck Faucet – (4), (9)	765.20	5.20	671254433694
3365660	ETF-700-4-P-LP CP	Optima® Electronic Gooseneck Faucet – (3), (9)	959.45	6.95	671254333727
3365011	ETF-700-H-4-B CP	Optima® Electronic Gooseneck Faucet – (2), (8), (9)	914.25	8.02	671254136120
3365197	ETF-700-H-4-B-BDM CP	Optima® Electronic Gooseneck Faucet – (2), (8), (9), (12)	949.50	8.45	671254233782
3365435	ETF-700-H-4-B-BDT CP	Optima® Electronic Gooseneck Faucet – (2), (8), (9)	1,100.60	8.07	671254239180
3365115	ETF-700-H-4-LT CP	Optima® Electronic Gooseneck Faucet – (4), (8), (9)	843.50	6.57	671254146587
3365198	ETF-700-H-4-LT-BDM CP	Optima® Electronic Gooseneck Faucet – (4), (8), (9), (12)	878.75	6.91	671254233799
3365436	ETF-700-H-4-LT-BDT CP	Optima® Electronic Gooseneck Faucet – (4), (8), (9), (13)	1,047.20	7.15	671254239197
3365010	ETF-700-H-4-P CP	Optima® Electronic Gooseneck Faucet – (3), (8), (9)	877.90	7.98	671254136113
3365196	ETF-700-H-4-P-BDM CP	Optima® Electronic Gooseneck Faucet – (3), (8), (9), (12)	913.15	8.32	671254233775
3365434	ETF-700-H-4-P-BDT CP	Optima® Electronic Gooseneck Faucet – (3), (8), (9), (13)	1,081.60	8.55	671254239173
3365183	ETF-700-H-8-B CP	Optima® Electronic Gooseneck Faucet – (2), (8), (8), (10)	968.10	8.65	671254233584
3365227	ETF-700-H-8-B-ADM CP	Optima® Electronic Gooseneck Faucet – (2), (8), (10)	1,293.25	9.89	671254233843
3365203	ETF-700-H-8-B-BDM CP	Optima® Electronic Gooseneck Faucet – (2), (8), (10), (12)	1,003.25	8.96	671254233812
3365438	ETF-700-H-8-B-BDT CP	Optima® Electronic Gooseneck Faucet – (8), (10)	1,154.40	8.20	671254239210
3365184	ETF-700-H-8-LT CP	Optima® Electronic Gooseneck Faucet – (4), (8), (10)	897.30	7.11	671254233591
3365228	ETF-700-H-8-LT-ADM CP	Optima® Electronic Gooseneck Faucet – (4), (8), (10), (11)	1,222.50	8.35	671254233850
3365204	ETF-700-H-8-LT-BDM CP	Optima® Electronic Gooseneck Faucet – (4), (8), (10), (12)	932.50	7.42	671254233829
3365439	ETF-700-H-8-LT-BDT CP	Optima® Electronic Gooseneck Faucet – (4), (8), (10), (13)	1,101.00	7.66	671254239227
3365182	ETF-700-H-8-P CP	Optima® Electronic Gooseneck Faucet – (3), (8), (10)	931.75	8.52	671254233577
3365226	ETF-700-H-8-P-ADM CP	Optima® Electronic Gooseneck Faucet – (3), (8), (10), (11)	1,256.95	9.76	671254233836
3365202	ETF-700-H-8-P-BDM CP	Optima® Electronic Gooseneck Faucet – (3), (8), (10), (12)	966.95	8.83	671254233805
3365437	ETF-700-H-8-P-BDT CP	Optima® Electronic Gooseneck Faucet – (3), (8), (10), (131)	1,135.45	9.06	671254239203



ETF700 Hardwired
EBF750 Battery
EBF755 Battery, BAA compliance



ETF700-S Hardwired with Surgical Bend Spout
EBF750-S Battery with Surgical Bend Spout



ETF700-H Hardwired with Shower Spout
EBF750-H Battery with Shower Spout

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
ETF-700-S Sensor-Activated Deck Mount Surgical Bend Gooseneck Faucets					
Includes chrome plated brass deck mount surgical bend gooseneck faucet, spray head or showerhead, in-spout sensor with splash-proof circuit control module, 24 VAC transformer (specify plug-in or box mount hardware), 24 VAC solenoid valve with integral "Y" filter. Low Lead Compliant.					
3365185	ETF-700-S-4-P	Optima® Electronic Surgical Bend Gooseneck Faucet – (1), (3), (6), (7), (9)	806.20	10.40	671254233607
3365186	ETF-700-S-4-B	Optima® Electronic Surgical Bend Gooseneck Faucet – (1), (2), (6), (7), (9)	825.10	10.30	671254233614
3365287	ETF-700-S-4-LT	Optima® Electronic Surgical Bend Gooseneck Faucet – (1), (4), (6), (7), (9)	771.90	8.80	671254219632
3365018	ETF-700-S-H-4-P	Optima® Electronic Surgical Bend Gooseneck Faucet – (1), (3), (6), (7), (8), (9)	884.65	11.00	671254136199
3365019	ETF-700-S-H-4-B	Optima® Electronic Surgical Bend Gooseneck Faucet – (1), (2), (6), (7), (8), (9)	903.50	10.90	671254136205
3365117	ETF-700-S-H-4-LT	Optima® Electronic Surgical Bend Gooseneck Faucet – (1), (4), (6), (7), (8), (9)	850.25	9.40	671254146600
3365217	ETF-700-S-4-P-BDM	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (6), (7), (9), (12)	841.45	8.30	671254233867
3365218	ETF-700-S-4-B-BDM	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (6), (7), (9), (12)	860.40	8.30	671254233874
3365219	ETF-700-S-4-LT-BDM	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (6), (7), (9), (12)	807.15	6.70	671254233881
3365220	ETF-700-S-H-4-P-BDM	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (7), (8), (10)	919.85	8.90	671254233959
3365221	ETF-700-S-H-4-B-BDM	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (7), (8), (10)	938.75	8.90	671254233966
3365222	ETF-700-S-H-4-LT-BDM	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (7), (8), (10)	885.50	7.30	671254233973
3365440	ETF-700-S-4-P-BDT	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (6), (7), (9), (13)	980.55	9.50	671254239234
3365441	ETF-700-S-4-B-BDT	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (6), (7), (9), (13)	998.90	9.40	671254239241
3365443	ETF-700-S-4-LT-BDT	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (6), (7), (9), (13)	947.15	7.90	671254239258
3365447	ETF-700-S-H-4-P-BDT	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (7), (8), (9), (13)	1,043.95	10.10	671254239296
3365448	ETF-700-S-H-4-B-BDT	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (7), (8), (9), (13)	1,062.25	10.00	671254239302
3365449	ETF-700-S-H-4-LT-BDT	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (7), (8), (9), (13)	1,010.60	8.50	671254239319
3365187	ETF-700-S-8-P	Optima® Electronic Surgical Bend Gooseneck Faucet – (1), (3), (6), (7), (10)	860.00	10.70	671254233621
3365188	ETF-700-S-8-B	Optima® Electronic Surgical Bend Gooseneck Faucet – (1), (2), (6), (7), (10)	878.85	10.60	671254233638
3365189	ETF-700-S-8-LT	Optima® Electronic Surgical Bend Gooseneck Faucet – (1), (4), (6), (7), (10)	825.65	9.00	671254233645
3365190	ETF-700-S-H-8-P	Optima® Electronic Surgical Bend Gooseneck Faucet – (1), (3), (6), (7), (8), (10)	938.45	11.30	671254233652
3365191	ETF-700-S-H-8-B	Optima® Electronic Surgical Bend Gooseneck Faucet – (1), (2), (6), (7), (8), (10)	957.25	11.20	671254233669
3365192	ETF-700-S-H-8-LT	Optima® Electronic Surgical Bend Gooseneck Faucet – (1), (4), (6), (7), (8), (10)	904.00	9.60	671254233676
3365205	ETF-700-S-8-P-ADM	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (6), (7), (10), (11)	1,185.20	10.20	671254233928
3365206	ETF-700-S-8-B-ADM	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (6), (7), (10), (11)	1,215.60	10.10	671254233935
3365207	ETF-700-S-8-LT-ADM	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (6), (7), (10), (11)	1,162.70	8.60	671254233942
3365208	ETF-700-S-H-8-P-ADM	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (7), (8), (10), (11)	1,263.70	8.60	671254234017
3365209	ETF-700-S-H-8-B-ADM	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (7), (8), (10), (11)	1,282.55	8.50	671254234024
3365210	ETF-700-S-H-8-LT-ADM	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (7), (8), (10), (11)	1,229.25	9.20	671254234031
3365211	ETF-700-S-8-P-BDM	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (6), (7), (10), (12)	895.25	8.60	671254233898
3365212	ETF-700-S-8-B-BDM	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (6), (7), (10), (12)	914.10	8.50	671254233904
3365213	ETF-700-S-8-LT-BDM	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (6), (7), (10), (12)	860.90	6.90	671254233911
3365214	ETF-700-S-H-8-P-BDM	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (7), (8), (10), (12)	973.70	9.20	671254233980
3365215	ETF-700-S-H-8-B-BDM	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (7), (8), (10), (12)	992.50	9.10	671254233997
3365216	ETF-700-S-H-8-LT-BDM	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (7), (8), (10), (12)	939.25	7.50	671254234000
3365444	ETF-700-S-8-P-BDT	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (6), (7), (10), (13)	1,032.70	9.70	671254239265
3365445	ETF-700-S-8-B-BDT	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (6), (7), (10), (13)	1,051.15	9.70	671254239272
3365446	ETF-700-S-8-LT-BDT	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (6), (7), (10), (13)	999.40	8.20	671254239289
3365450	ETF-700-S-H-8-P-BDT	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (7), (8), (10), (13)	1,096.15	10.30	671254239326
3365451	ETF-700-S-H-8-B-BDT	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (7), (8), (10), (13)	1,114.50	10.30	671254239333
3365452	ETF-700-S-H-8-LT-BDT	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (7), (8), (10), (13)	1,062.85	8.70	671254239340



ETF700 Hardwired
EBF750 Battery
EBF755 Battery, BAA compliance



ETF700-S Hardwired with Surgical Bend Spout
EBF750-S Battery with Surgical Bend Spout




ETF700-H Hardwired with Shower Spout
EBF750-H Battery with Shower Spout

Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
3365754	ETF-700S-8-P CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (7), (8), (10)	860.00	7.91	671254387379
3365019	ETF-700S-H-4-B CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (7), (8), (9)	903.45	8.16	671254136205
3365221	ETF-700S-H-4-B-BDM CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (7), (8), (9), (12)	938.75	8.51	671254233966
3365448	ETF-700S-H-4-B-BDT CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (7), (8), (9), (13)	1,094.10	8.72	671254239302
3365222	ETF-700S-H-4-LT-BDM CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (7), (8), (9), (12)	885.50	6.97	671254233973
3365449	ETF-700S-H-4-LT-BDT CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (7), (8), (9), (13)	1,040.90	7.19	671254239319
3365018	ETF-700S-H-4-P CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (7), (8), (9)	884.60	8.02	671254136199
3365220	ETF-700S-H-4-P-BDM CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (7), (8), (9), (13)	919.85	8.37	671254233959
3365447	ETF-700S-H-4-P-BDT CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (7), (8), (9), (13)	1,075.25	8.60	671254239296
3365191	ETF-700S-H-8-B CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (7), (8), (10)	957.25	8.70	671254233669
3365209	ETF-700S-H-8-B-ADM CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (7), (8), (10), (11)	1,282.50	9.94	671254234024
3365215	ETF-700S-H-8-B-BDM CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (7), (8), (10), (12)	992.45	9.02	671254233997
3365451	ETF-700S-H-8-B-BDT CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (2), (7), (8), (10), (13)	1,147.95	9.23	671254239333
3365192	ETF-700S-H-8-LT CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (7), (8), (10)	904.00	7.10	671254233676
3365210	ETF-700S-H-8-LT-ADM CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (7), (8), (10), (11)	1,229.20	8.34	671254234031
3365216	ETF-700S-H-8-LT-BDM CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (7), (8), (10), (12)	939.20	7.48	671254234000
3365452	ETF-700S-H-8-LT-BDT CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (7), (8), (13)	1,094.75	7.70	671254239340
3365190	ETF-700S-H-8-P CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (7), (8), (10)	938.45	8.56	671254233652
3365208	ETF-700S-H-8-P-ADM CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (7), (8), (10), (11)	1,263.65	9.80	671254234017
3365214	ETF-700S-H-8-P-BDM CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (7), (8), (10), (12)	973.65	8.88	671254233980
3365554	ETF-700S-4-P-BDT CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (7), (8), (9), (13)	771.90	7.93	671254404342
3365570	ETF-700S-4-LT CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (4), (7), (8), (9)	771.90	5.35	671254437982
3365450	ETF-700S-H-8-P-BDT CP	Optima® Electronic Surgical Bend Gooseneck Faucet – (3), (7), (8), (10), (13)	1,129.05	9.14	671254239326



ETF700 Hardwired
EBF750 Battery
EBF755 Battery, BAA compliance



ETF700-S Hardwired with Surgical Bend Spout
EBF750-S Battery with Surgical Bend Spout



ETF700-H Hardwired with Shower Spout
EBF750-H Battery with Shower Spout

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "LT" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

EBF-750 Battery-Powered Sensor-Activated Deck Mount Gooseneck Faucets

Includes chrome plated brass deck mount gooseneck faucet, spray head or showerhead, in-spout sensor with splash-proof circuit control module with integral filtered solenoid valve, 4 "AA" Alkaline batteries. Low Lead Compliant.

3315104	EBF-750-4	Optima® Battery Gooseneck Faucet – (1), (6), (9)	897.75	8.90	671254219687
3315059	EBF-750-H-4	Optima® Battery Gooseneck Faucet – (1), (8), (9)	976.20	9.50	671254148062
3315164	EBF-750-8	Optima® Battery Gooseneck Faucet – (1), (6), (10)	951.60	9.10	671254234406
3315165	EBF-750-H-8	Optima® Battery Gooseneck Faucet – (1), (8), (10)	1,030.00	9.70	671254234413
3315168	EBF-750-8-ADM	Optima® Battery Gooseneck Faucet – (6), (10), (11)	1,276.75	7.80	671254234444
3315169	EBF-750-H-8-ADM	Optima® Battery Gooseneck Faucet – (8), (10), (11)	1,355.15	8.40	671254234451
3315170	EBF-750-4-BDM	Optima® Battery Gooseneck Faucet – (6), (9), (12)	933.05	6.30	671254234307
3315171	EBF-750-8-BDM	Optima® Battery Gooseneck Faucet – (6), (10), (12)	986.80	6.60	671254234314
3315172	EBF-750-H-4-BDM	Optima® Battery Gooseneck Faucet – (8), (9), (12)	1,011.50	6.90	671254234321
3315173	EBF-750-H-8-BDM	Optima® Battery Gooseneck Faucet – (8), (10), (12)	1,065.20	7.20	671254234338
3315185	EBF-750-4-BDT	Optima® Battery Gooseneck Faucet – (6), (9), (13)	1,069.45	7.50	671254238794
3315186	EBF-750-8-BDT	Optima® Battery Gooseneck Faucet – (6), (10), (13)	1,121.60	7.70	671254238800
3315187	EBF-750-H-4-BDT	Optima® Battery Gooseneck Faucet – (8), (9), (13)	1,145.55	8.10	671254239012
3315188	EBF-750-H-8-BDT	Optima® Battery Gooseneck Faucet – (8), (10), (13)	1,197.80	8.30	671254239029
3315318	EBF-750-4 CP	Optima® Battery Gooseneck Faucet - (9)	897.75	5.12	671254437487
3315314	EBF-750-4 CP	Optima® Battery Gooseneck Faucet - (9)	897.75	5.12	671254433625
3315315	EBF-750-4-BDM CP	Optima® Battery Gooseneck Faucet - (9), (12)	933.05	6.60	671254433649
3315317	EBF-750-4-BDT CP	Optima® Battery Gooseneck Faucet - (9), (13)	1,101.55	6.60	671254433670
3315172	EBF-750-H-4-BDM CP	Optima® Battery Gooseneck Faucet - (8), (9), (12)	1,011.45	7.22	671254234321
3315187	EBF-750-H-4-BDT CP	Optima® Battery Gooseneck Faucet - (8), (9), (13)	1,179.90	7.35	671254239012
3315165	EBF-750-H-8 CP	Optima® Battery Gooseneck Faucet - (8), (10)	1,030.00	7.43	671254234413
3315169	EBF-750-H-8-ADM CP	Optima® Battery Gooseneck Faucet - (8), (10), (11)	1,355.10	8.66	671254234451
3315173	EBF-750-H-8-BDM CP	Optima® Battery Gooseneck Faucet - (8), (10), (12)	1,065.15	7.73	671254234338
3315188	EBF-750-H-8-BDT CP	Optima® Battery Gooseneck Faucet - (8), (10), (13)	1,233.75	7.89	671254239029
3315307	EBF-755-4 CP	Optima® Battery Gooseneck Faucet - (9)	942.60	5.51	671254406933
3315309	EBF-755-8-BDT CP	Optima® Battery Gooseneck Faucet - (10), (13)	1,215.70	5.51	671254414761

EBF-750-S Battery-Powered Sensor-Activated Deck Mount Surgical Bend Gooseneck Faucets

Include chrome plated brass deck mount surgical bend gooseneck faucet, spray head or showerhead, sensor with splash-proof circuit control module with integral filtered solenoid valve, 4 "C" cell Alkaline batteries. Low Lead Compliant.

3315105	EBF-750-S-4	Optima® Battery Surgical Bend Gooseneck Faucet – (1), (6), (7), (9)	904.50	8.90	671254219694
3315068	EBF-750-S-H-4	Optima® Battery Surgical Bend Gooseneck Faucet – (1), (7), (8), (9)	982.80	9.60	671254148055
3315176	EBF-750-S-4-BDM	Optima® Battery Surgical Bend Gooseneck Faucet – (6), (7), (9), (12)	939.70	6.40	671254234369
3315178	EBF-750-S-H-4-BDM	Optima® Battery Surgical Bend Gooseneck Faucet – (7), (8), (9), (12)	1,018.05	7.00	671254234383
3315189	EBF-750-S-4-BDT	Optima® Battery Surgical Bend Gooseneck Faucet – (6), (7), (9), (13)	1,075.90	7.60	671254239036
3315191	EBF-750-S-H-4-BDT	Optima® Battery Surgical Bend Gooseneck Faucet – (7), (8), (9), (13)	1,152.00	8.20	671254239050
3315166	EBF-750-S-8	Optima® Battery Surgical Bend Gooseneck Faucet – (1), (6), (7), (10)	958.35	9.20	671254234420
3315167	EBF-750-S-H-8	Optima® Battery Surgical Bend Gooseneck Faucet – (1), (7), (8), (10)	1,036.60	9.80	671254234437



ETF700 Hardwired
EBF750 Battery
EBF755 Battery, BAA compliance



ETF700-H Hardwired with shower spray head
EBF750-H Battery with shower spray head

**Contact Your Local Sloan Representative


(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
3315174	EBF-750-S-8-ADM	Optima® Battery Surgical Bend Gooseneck Faucet – (6), (7), (10), (11)	1,283.50	7.80	671254234345
3315175	EBF-750-S-H-8-ADM	Optima® Battery Surgical Bend Gooseneck Faucet – (7), (8), (10), (11)	1,361.80	8.40	671254235076
3315177	EBF-750-S-8-BDM	Optima® Battery Surgical Bend Gooseneck Faucet – (6), (7), (10), (12)	993.40	6.60	671254234376
3315179	EBF-750-S-H-8-BDM	Optima® Battery Surgical Bend Gooseneck Faucet – (7), (8), (10), (12)	1,071.85	7.20	671254234390
3315190	EBF-750-S-8-BDT	Optima® Battery Surgical Bend Gooseneck Faucet – (6), (7), (10), (13)	1,128.15	7.80	671254239043
3315192	EBF-750-S-H-8-BDT	Optima® Battery Surgical Bend Gooseneck Faucet – (7), (8), (10), (13)	1,204.20	8.40	671254239067
3315319	EBF-750S-4 CP	Optima® Battery Surgical Bend Gooseneck Faucet - (7), (9)	\$904.50	5.25	671254437500
3315316	EBF-750S-4-BDM CP	Optima® Battery Surgical Bend Gooseneck Faucet - (7), (9), (12)	\$939.65	6.68	671254433663
3315178	EBF-750S-H-4-BDM CP	Optima® Battery Surgical Bend Gooseneck Faucet - (7), (8), (9), (12)	1,018.00	7.35	671254234383
3315191	EBF-750S-H-4-BDT CP	Optima® Battery Surgical Bend Gooseneck Faucet - (7), (8), (9), (13)	1,186.55	7.48	671254239050
3315167	EBF-750S-H-8 CP	Optima® Battery Surgical Bend Gooseneck Faucet - (7), (8), (10)	1,036.60	7.57	671254234437
3315175	EBF-750S-H-8-ADM CP	Optima® Battery Surgical Bend Gooseneck Faucet - (7), (8), (10), (11)	1,361.75	8.79	671254235076
3315179	EBF-750S-H-8-BDM CP	Optima® Battery Surgical Bend Gooseneck Faucet - (7), (8), (10), (12)	1,071.80	7.86	671254234390
3315192	EBF-750S-H-8-BDT CP	Optima® Battery Surgical Bend Gooseneck Faucet - (7), (8), (10), (13)	1,240.35	7.96	671254239067

Sensor-Activated
Optima Systems

OLP



ETF700 Hardwired
EBF750 Battery
EBF755 Battery, BAA compliance



ETF700-S Hardwired with Surgical Bend Spout
EBF750-S Battery with Surgical Bend Spout



ETF700-H Hardwired with Shower Spout
EBF750-H Battery with Shower Spout

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
ETF-770 On-Q® Sensor-Activated Deck Mount Gooseneck Faucets					
Includes chrome plated brass deck mount gooseneck faucet, spray head, On-Q® sensor with splash-proof circuit control module, 24 VAC transformer (specify plug-in or box mount hardwire), 24 VAC solenoid valve with integral "Y" filter. Low Lead Compliant.					
3365428	ETF-770-4-P	Optima® Electronic Gooseneck Faucet – (1), (3), (6), (9)	655.25	7.30	671254235410
3365429	ETF-770-4-B	Optima® Electronic Gooseneck Faucet – (1), (2), (6), (9)	674.15	7.20	671254235427
3365021	ETF-770-4-LT	Optima® Electronic Gooseneck Faucet – (1), (4), (6), (9)	620.80	5.70	671254128033
3365411	ETF-770-4-P-ADM	Optima® Electronic Gooseneck Faucet – (3), (6), (9), (11)	913.15	8.50	671254235595
3365412	ETF-770-4-B-ADM	Optima® Electronic Gooseneck Faucet – (2), (6), (9), (11)	932.00	8.40	671254235601
3365413	ETF-770-4-LT-ADM	Optima® Electronic Gooseneck Faucet – (4), (6), (9), (11)	878.75	6.90	671254235618
3365417	ETF-770-4-P-BDM	Optima® Electronic Gooseneck Faucet – (3), (6), (9), (12)	690.55	7.30	671254235656
3365418	ETF-770-4-B-BDM	Optima® Electronic Gooseneck Faucet – (2), (6), (9), (12)	709.40	7.20	671254235663
3365419	ETF-770-4-LT-BDM	Optima® Electronic Gooseneck Faucet – (4), (6), (9), (12)	656.10	5.70	671254235670
3365453	ETF-770-4-P-BDT	Optima® Electronic Gooseneck Faucet – (3), (6), (9), (13)	833.95	8.50	671254239647
3365454	ETF-770-4-B-BDT	Optima® Electronic Gooseneck Faucet – (2), (6), (9), (13)	852.25	8.40	671254239654
3365455	ETF-770-4-LT-BDT	Optima® Electronic Gooseneck Faucet – (4), (6), (9), (13)	800.55	6.90	671254239661
3365430	ETF-770-8-P	Optima® Electronic Gooseneck Faucet – (1), (3), (6), (10)	690.25	7.60	671254235441
3365431	ETF-770-8-B	Optima® Electronic Gooseneck Faucet – (1), (2), (6), (10)	709.25	7.60	671254235458
3365432	ETF-770-8-LT	Optima® Electronic Gooseneck Faucet – (1), (4), (6), (10)	655.85	6.00	671254235465
3365414	ETF-770-8-P-ADM	Optima® Electronic Gooseneck Faucet – (3), (6), (10), (11)	931.90	8.90	671254235625
3365415	ETF-770-8-B-ADM	Optima® Electronic Gooseneck Faucet – (2), (6), (10), (11)	950.75	8.80	671254235632
3365416	ETF-770-8-LT-ADM	Optima® Electronic Gooseneck Faucet – (4), (6), (10), (11)	897.50	7.20	671254235649
3365420	ETF-770-8-P-BDM	Optima® Electronic Gooseneck Faucet – (3), (6), (10), (12)	725.50	7.70	671254235687
3365421	ETF-770-8-B-BDM	Optima® Electronic Gooseneck Faucet – (2), (6), (10), (12)	744.45	7.60	671254235700
3365422	ETF-770-8-LT-BDM	Optima® Electronic Gooseneck Faucet – (4), (6), (10), (12)	691.10	6.10	671254235717
3365456	ETF-770-8-P-BDT	Optima® Electronic Gooseneck Faucet – (3), (6), (10), (13)	868.00	8.80	671254239678
3365457	ETF-770-8-B-BDT	Optima® Electronic Gooseneck Faucet – (2), (6), (10), (13)	886.30	8.70	671254239685
3365458	ETF-770-8-LT-BDT	Optima® Electronic Gooseneck Faucet – (4), (6), (10), (13)	834.60	7.20	671254239692
3365650	ETF-770-4-LT CP	Optima® Electronic Gooseneck Faucet – (4), (9)	620.80	5.43	671254437456
3365647	ETF-770-4-LT CP	Optima® Electronic Gooseneck Faucet – (4), (9)	620.80	5.43	671254433700
3365558	ETF-770-4-P CP	Optima® Electronic Gooseneck Faucet – (3), (9)	655.25	5.43	671254438866
3365648	ETF-770-4-P	Optima® Electronic Gooseneck Faucet – (3), (9)	655.25	7.20	671254433779
3365564	ETF-770-8-LT CP	Optima® Electronic Gooseneck Faucet – (4), (10)	655.80	5.43	671254438880
3365561	ETF-770-8-P CP	Optima® Electronic Gooseneck Faucet – (3), (10)	690.20	5.43	671254438897
3365560	ETF-770-8-P-BDT CP	Optima® Electronic Gooseneck Faucet – (3), (10), (13)	894.05	5.43	671254438873



ETF770 Hardwired with side sensor

****Contact Your Local Sloan Representative**

(1) Bak Chek **(2)** Box Transformer "B" **(3)** Plug-In Transformer "P" **(4)** Less Transformer "LT" **(5)** 0.5 gpm/1.9 Lpm Multi-Lam Spray Head **(6)** 2.2 gpm/8.3 Lpm Laminar Spray Head **(7)** Surgical Bend Spout "S" **(8)** Shower Head Spray 2.2 gpm/8.3 Lpm "H" **(9)** 4" Trim Plate **(10)** 8" Trim Plate **(11)** Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" **(12)** Below Deck Mixing Valve – MIX-60-A "BDM" **(13)** Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" **(14)** Integral Temperature Control Spout Mixer "ISM" **(15)** Drain Pop Up "DPU" **(16)** Optima i.q.®-cliq button "IC" **(17)** 1.5 gpm/5.7 Lpm Aerator **(18)** 2.2 gpm/8.3 Lpm Aerated Spray Head **(19)** Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
ETF-800 Sensor-Activated Wall Mount Faucets					
Includes splash-proof circuit control module, sensor range adjustment screw, troubleshooting LED indicator lights, user-friendly variable time out settings, spray head with pressure compensating flow control, metal jacketed wire protection for solenoid lead, and modular quick-release sensor and solenoid connection. Low Lead Compliant.					
3365726	ETF-800-B	Optima® Electronic Wall Mount Faucet – (3)	1,055.50	6.43	671254344723
3365721	ETF-800-P	Optima® Electronic Wall Mount Faucet – (2)	1,034.40	6.39	671254338593
3365723	ETF-800-LT	Optima® Electronic Wall Mount Faucet – (4)	1,002.40	4.99	671254340206
3365724	ETF-800-P-BDM	Optima® Electronic Wall Mount Faucet – (2), (12)	1,067.20	6.63	671254340473
3365725	ETF-800-P-BDT	Optima® Electronic Wall Mount Faucet – (2), (13)	1,184.70	6.97	671254342231



ETF800 Hardwired

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

EAF-100 Optima i.q.® 6 VDC Electronic Automatic Lavatory Faucets

Includes chrome plated die-cast metal spout with self-contained electronics and solenoid valve for single-hole lavatory installation. Double infrared sensors with automatic setting feature. Supplied with 2.2 gpm/8.3 Lpm Aerator and 6 VDC plug-in adapter. Low Lead Compliant.

3335003	EAF-100-P CP	Optima® Electronic Above Deck Faucet – (3), (18)	781.15	3.50	671254246911
3335004	EAF-100-P-ISM CP	Optima® Electronic Above Deck Faucet – (3), (14), (18)	802.55	3.55	671254246928
3335005	EAF-100-P-ISM-DPU-IC CP	Optima® Electronic Above Deck Faucet – (3), (14), (15), (16), (18)	927.30	3.75	671254246973
3335008	EAF-100-P-ISM-IC CP	Optima® Electronic Above Deck Faucet – (3), (14), (16), (18)	854.50	3.85	671254249028
3335132	EAF-100-LT CP	Optima® Electronic Above Deck Faucet - (4)	756.50	3.15	671254437319
3335012	EAF-100-LT CP	Optima® Electronic Above Deck Faucet - (4), (17)	756.50	3.15	671254253889
3335085	EAF-100-LT-DPU CP	Optima® Electronic Above Deck Faucet - (4), (15)	888.25	3.47	671254398016
3335127	EAF-100-LT-ISM CP	Optima® Electronic Above Deck Faucet - (4), (14)	764.80	3.35	671254437258
3335013	EAF-100-LT-ISM CP	Optima® Electronic Above Deck Faucet - (4), (14), (17)	764.80	3.35	671254253896
3335124	EAF-100-P CP	Optima® Electronic Above Deck Faucet - (3)	781.10	3.26	671254437234
3335003	EAF-100-P CP	Optima® Electronic Above Deck Faucet - (3), (17)	781.10	3.26	671254246911
3335123	EAF-100-P-ISM CP	Optima® Electronic Above Deck Faucet - (3), (14)	802.50	3.46	671254437227
3335139	EAF-100-P CP	Optima® Electronic Above Deck Faucet - (3)	781.10	3.26	671254445123
3335004	EAF-100-P-ISM CP	Optima® Electronic Above Deck Faucet - (3), (14), (17)	802.50	3.46	671254246928

EAF-150 Optima i.q.® Battery-Powered Electronic Automatic Lavatory Faucets

Include chrome plated die-cast metal spout with self-contained electronics, 6 VDC lithium battery and solenoid valve for single hole lavatory installation. Double infrared sensors with automatic range setting feature. Supplied with 2.2 gpm (8.3 Lpm) flow controlling aerator. Low Lead Compliant.

3335000	EAF-150 CP	Optima® Battery Above Deck Faucet – (18)	709.75	3.20	671254246669
3335001	EAF-150-ISM CP	Optima® Battery Above Deck Faucet – (14), (18)	731.20	3.55	671254246676
3335002	EAF-150-ISM-DPU-IC CP	Optima® Battery Above Deck Faucet – (14), (15), (16), (18)	802.55	3.55	671254246683
3335007	EAF-150-ISM-IC CP	Optima® Battery Above Deck Faucet – (14), (16), (18)	777.80	3.55	671254249011
3335105	EAF-150 CP	Optima® Battery Above Deck Faucet - (14), (15), (16)	709.70	3.54	671254409279
3335122	EAF-150 CP	Optima® Battery Above Deck Faucet - (14), (16), (17)	709.70	3.20	671254437210
3335000	EAF-150 CP	Optima® Battery Above Deck Faucet - (17)	709.70	3.20	671254246669
3335082	EAF-150-ISM CP	Optima® Battery Above Deck Faucet - (14), (17)	731.20	3.54	671254396012
3335121	EAF-150-ISM CP	Optima® Battery Above Deck Faucet - (14)	731.20	3.38	671254437203
3335001	EAF-150-ISM CP	Optima® Battery Above Deck Faucet - (14), (17)	731.20	3.38	671254246676
3335126	EAF-150-ISM-IC CP	Optima® Battery Above Deck Faucet - (14), (16)	777.75	3.40	671254437241
3335007	EAF-150-ISM-IC CP	Optima® Battery Above Deck Faucet - (4), (16), (17)	777.75	3.40	671254249011



EAF100 Hardwired
EAF150 Battery

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

EA200 Optima i.q.® LINO™ Sensor-Activated Faucets

Includes 6 VDC plug-in adapter powered electronic handwashing faucets with pre-tempered or hot and cold water operation. Low Lead Compliant.

3335050	EA200-P CP	Optima® Electronic Above Deck Faucet – (3), (5)	781.25	3.50	671254311787
3335051	EA200-P-ISM CP	Optima® Electronic Above Deck Faucet – (3), (5), (14)	802.50	3.85	671254311794
3335052	EA200-P-ISM-IC CP	Optima® Electronic Above Deck Faucet – (3), (5), (14), (16)	854.50	5.00	671254311800
3335053	EA200-P-ISM-DPU-IC CP	Optima® Electronic Above Deck Faucet – (3), (5), (14), (15), (16)	927.30	5.00	671254311916

EA225 Optima i.q.® Lumino™ Sensor-Activated Faucets

Includes 6 VDC plug-in adapter powered electronic handwashing faucet with integral mixing valve and temperature indicating light ring. Low Lead Compliant.

3335075	EA225-P-ISM CP	Optima® Electronic Faucet – (3), (14), (17)	916.20	3.90	671254368088
3335077	EA225-P-ISM-IC CP	Optima® Electronic Faucet – (3), (14), (16), (17)	963.25	5.00	671254368095
3335076	EA225-P-ISM-DPU-IC CP	Optima® Electronic Faucet – (3), (14), (15), (16), (17)	1,010.20	5.00	671254368101
3335130	EA225-P-ISM CP	Optima® Electronic Faucet - (3), (14)	916.20	3.854	671254437296

EA250 LINO™ Battery-Powered Sensor-Activated Faucets

Include chrome plated brass, one-piece modular construction, double infrared sensors with automatic range setting and a 6-volt lithium CR-P2 commercial battery. Supplied with 0.5 gpm (1.9 Lpm) spray head. Low Lead Compliant.

3335061	EA250-ISM CP	Optima® Battery Above Deck Faucet – (5), (14)	731.20	3.75	671254311930
3335062	EA250-ISM-IC CP	Optima® Battery Above Deck Faucet – (5), (14), (16)	777.80	3.75	671254311947
3335063	EA250-ISM-DPU-IC CP	Optima® Battery Above Deck Faucet – (5), (14), (15), (16)	802.55	4.70	671254311954

EA275 SOLIS® Solar-Powered Electronic Hand Washing Faucets

Solar-powered faucet includes chrome plated brass, one piece modular construction, double infrared sensors with automatic range setting and a 6V Lithium CR-P2 commercial battery. Faucet supplied with 0.5 gpm (1.9 Lpm) spray head. Low Lead Compliant.

3335016	EA275	Optima® Solar Powered Above Deck Faucet – (5)	776.35	3.50	671254304437
3335017	EA275-ISM	Optima® Solar Powered Above Deck Faucet – (5), (14)	798.40	3.80	671254304444
3335024	EA275-IC	Optima® Solar Powered Above Deck Faucet – (5), (16)	848.00	3.55	671254306271
3335025	EA275-ISM-IC	Optima® Solar Powered Above Deck Faucet – (5), (14), (16)	869.50	3.75	671254306288



EA225 Hardwired with illuminated temperature indicator



EA200 Hardwired
EA250 Battery
EA275 Battery + Solar

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

EAF-350 Battery-Powered Sensor-Activated Faucet

Includes chrome plated, one-piece modular construction with all concealed components above deck, double infrared sensors with automatic range setting and a 6-volt Lithium CR-P2 commercial battery. Low Lead Compliant.

3335110	EAF-350	Optima® Battery Above Deck Faucet I.R. - (5)	472.80	5.00	671254422551
3335111	EAF-350-ISM	Optima® Battery Above Deck Faucet I.R. - (5), (14)	495.05	5.00	671254422568
3335106	EAF-350	Optima® Battery Above Deck Faucet I.R. - (20)	472.80	5.00	671254420885
3335107	EAF-350-ISM	Optima® Battery Above Deck Faucet I.R. - (20), (14)	495.05	5.00	671254420892



EAF350 Battery

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

EAF-700 Optima i.q.® Gooseneck Sensor-Activated Faucets

Sensor-activated, electronic, chrome plated die-cast metal, gooseneck hand washing faucet with above-deck concealed components for pre-tempered or hot and cold water operation.

3335094	EAF-700-LT	Optima® Electronic Above Deck Gooseneck Faucet - (4)	763.20	5.00	671254402768
3335081	EAF-700-LT-ISM	Optima® Electronic Above Deck Gooseneck Faucet - (4), (14)	797.70	5.00	671254397941
3335098	EAF-700-B CP	Optima® Electronic Above Deck Gooseneck Faucet - (2)	867.00	4.77	671254403505
3335094	EAF-700-LT CP	Optima® Electronic Above Deck Gooseneck Faucet - (4)	763.20	4.77	671254402768
3335128	EAF-700-LT-ISM CP	Optima® Electronic Above Deck Gooseneck Faucet - (4), (14)	797.70	4.77	671254437265
3335081	EAF-700-LT-ISM CP	Optima® Electronic Above Deck Gooseneck Faucet - (4), (14)	797.70	4.77	671254397941
3335131	EAF-700-P CP	Optima® Electronic Above Deck Gooseneck Faucet - (3)	763.20	4.77	671254437302
3335096	EAF-700-P CP	Optima® Electronic Above Deck Gooseneck Faucet - (3)	763.20	4.77	671254402775
3335129	EAF-700-P-ISM CP	Optima® Electronic Above Deck Gooseneck Faucet - (3), (14)	797.70	4.77	671254437289
3335079	EAF-700-P-ISM CP	Optima® Electronic Above Deck Gooseneck Faucet - (3), (14)	797.70	4.77	671254397934

EAF-750 Battery-Powered Gooseneck Sensor-Activated Faucets

Sensor-activated, battery powered, chrome plated die-cast metal, gooseneck hand washing faucet with above-deck concealed components for pre-tempered or hot and cold water operation.

3335097	EAF-750	Optima® Battery Above Deck Gooseneck Faucet	719.50	5.00	671254402782
3335074	EAF-750-ISM	Optima® Battery Above Deck Gooseneck Faucet - (14)	754.00	5.00	671254396814
3335125	EAF-750-ISM CP	Optima® Battery Above Deck Gooseneck Faucet - (14)	753.95	4.77	671254441668
3335074	EAF-750-ISM CP	Optima® Battery Above Deck Gooseneck Faucet - (14), (17)	753.95	4.77	671254396814



EAF700 Hardwired
EAF750 Battery

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
EAF-900 Sloan Senso™ Sensor-Activated Faucet					
Includes 12 VDC plug-in adapter powered electronic handwashing faucet with temperature adjustment lighted buttons. Low Lead Compliant.					
3335100	EAF-900-P	Optima® Electronic Faucet - (3), (5)	2,811.40		671254394292



EAF900 Hardwired with backlight stream and illuminated temperature controls

****Contact Your Local Sloan Representative**

(1) Bak Chek **(2)** Box Transformer "B" **(3)** Plug-In Transformer "P" **(4)** Less Transformer "LT" **(5)** 0.5 gpm/1.9 Lpm Multi-Lam Spray Head **(6)** 2.2 gpm/8.3 Lpm Laminar Spray Head **(7)** Surgical Bend Spout "S" **(8)** Shower Head Spray 2.2 gpm/8.3 Lpm "H" **(9)** 4" Trim Plate **(10)** 8" Trim Plate **(11)** Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" **(12)** Below Deck Mixing Valve – MIX-60-A "BDM" **(13)** Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" **(14)** Integral Temperature Control Spout Mixer "ISM" **(15)** Drain Pop Up "DPU" **(16)** Optima i.q.®-cliq button "IC" **(17)** 1.5 gpm/5.7 Lpm Aerator **(18)** 2.2 gpm/8.3 Lpm Aerated Spray Head **(19)** Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
SF 2100 Series Pedestal Style Chrome Plated Line Powered Sensor-Activated Faucets					
Includes sensor assembly, range adjustment, adjustable time out, integral plastic mesh filter, 4" trim plate, 0.5 gpm maximum flow spray head, and Bak-Chek® and flex hose. Low Lead Compliant.					
3362103	SF-2100-4	SF Electronic Faucet – (1), (5), (9)	449.75	5.00	671254313811
3362111	SF-2100-4-BDM	SF Electronic Faucet – (5), (9), (12)	485.05	5.20	671254315449
SF 2150 Series Pedestal Style Battery-Powered Electronic Faucet					
Includes chrome plated, sensor assembly, range adjustment, adjustable time out, integral plastic mesh filter, 4" trim plate, 0.5 gpm maximum flow spray head, and Bak-Chek® and flex hose.					
3362102	SF-2150-4	SF Battery Faucet – (1), (5), (9)	423.95	4.50	671254315358
3362110	SF-2150-4-BDM	SF Battery Faucet – (5), (9), (12)	459.25	4.80	671254315432
SF 2200 Series Gooseneck Style Chrome Plated Line Powered Sensor-Activated Faucets					
Includes sensor assembly, range adjustment, adjustable time out, integral plastic mesh filter, 4" trim plate, 2.2 gpm laminar flow spray head, and Bak-Chek® and flex hose. Low Lead Compliant.					
3362109	SF-2200-4	SF Electronic Gooseneck Faucet – (1), (6), (9)	434.70	5.40	671254315425
3362113	SF-2200-4-BDM	SF Electronic Gooseneck Faucet – (6), (9), (12)	469.90	5.60	671254315462
3362149	SF-2200-4 CP	SF Electronic Gooseneck Faucet – (9)	434.65	4.82	671254438903
3362152	SF-2200-4-BDM CP	SF Electronic Gooseneck Faucet – (9), (12)	469.90	4.82	671254438910
3362147	SF-2200-4-BDM	SF Electronic Gooseneck Faucet – (9), (12)	469.90	5.40	671254433748
3362146	SF-2200-4-CP	SF Electronic Gooseneck Faucet – (4), (9)	434.65	5.40	671254433731
3362153	SF-2200-4 CP	SF Electronic Gooseneck Faucet – (9)	434.65	4.82	671254443839
SF Series 2250 Gooseneck Style Battery-Powered Electronic Faucets					
Includes chrome plated, sensor assembly, range adjustment, adjustable time out, integral plastic mesh filter, 4" trim plate, 2.2 gpm laminar flow spray head and Bak-Chek® and flex hose. Low Lead Compliant.					
3362104	SF-2250-4	SF battery Gooseneck Faucet – (1), (6), (9)	408.85	4.80	671254315371
3362112	SF-2250-4-BDM	SF battery Gooseneck Faucet – (6), (9), (12)	444.05	5.00	671254315456
3362144	SF2250-4 CP	SF battery Gooseneck Faucet – (9)	408.80	4.78	671254397590
3362145	SF2250-4 CP	SF battery Gooseneck Faucet – (9)	408.80	4.82	671254433656
3362150	SF2250-4 CP	SF battery Gooseneck Faucet – (9)	408.80	4.82	671254437531
3362151	SF2250-4-BDM CP	SF battery Gooseneck Faucet – (9), (12)	444.05	4.82	671254438927
3362148	SF2250-4-BDM	SF battery Gooseneck Faucet – (9), (12)	444.05	5.05	671254433755
SF 2300 Series 4" Centerset Chrome Plated Line Powered Sensor-Activated Faucets					
Includes sensor assembly, range adjustment, adjustable time out, integral plastic mesh filter, 0.5 gpm maximum flow spray head, and Bak-Chek® and flex hose. Low Lead Compliant.					
3362116	SF-2300	SF Electronic Faucet – (1), (5)	449.75	4.90	671254322973
3362115	SF-2300-BDM	SF Series Sensor Faucet – (5), (12)	485.05	5.10	671254322980



SF2100 Hardwired
SF2150 Battery



SF2200 Hardwired
SF2250 Battery



SF2300 Hardwired
SF2350 Battery



SF2400 Hardwired
SF2450 Battery

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

SF 2350 Series 4" Centerset Battery-Powered Electronic Faucets

Includes chrome plated, integral spout, sensor assembly, range adjustment, adjustable time out, integral plastic mesh filter, 0.5 gpm maximum flow spray head, and Bak-Chek® and flex hose. Low Lead Compliant.

3362119	SF-2350	SF Battery Faucet – (1), (5)	423.95	4.40	671254323079
3362118	SF-2350-BDM	SF Battery Faucet – (5), (12)	459.25	4.60	671254323062

SF 2400 Series Pedestal Style Chrome Plated Line Powered Sensor-Activated Faucets

Includes sensor assembly, range adjustment, adjustable time out, integral plastic mesh filter, 4" trim plate, 0.5 gpm maximum flow spray head, and Bak-Chek® and flex hose. Low Lead Compliant.

3362130	SF-2400-4	SF Electronic Faucet – (1), (5), (9)	449.75	6.40	671254350632
3362133	SF-2400-4-BDM	SF Electronic Faucet – (5), (9), (12)	485.50	6.66	671254354784

SF 2450 Series Pedestal Style Battery-Powered Electronic Faucet

Includes chrome plated, integral spout, sensor assembly, range adjustment, adjustable time out, integral plastic mesh filter, 0.5 gpm maximum flow spray head, and Bak-Chek® and flex hose. Low Lead Compliant.

3362124	SF-2450-4	SF Battery Faucet – (1), (5), (9)	423.95	4.80	671254349001
3362127	SF-2450-4-BDM	SF Battery Faucet – (5), (9), (12)	459.25	4.80	671254375451



SF2100 Hardwired
SF2150 Battery



SF2200 Hardwired
SF2250 Battery



SF2300 Hardwired
SF2350 Battery



SF2400 Hardwired
SF2450 Battery

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
EFX Series (BASYS) Parts & Accessories					
3324102	EFX-1000-A	Laminar Full Stream Insert Kit 1.5 gpm/5.7 Lpm	22.70	0.02	671254404977
3324103	EFX-1001-A	Aerated Full Stream Insert Kit 1.5 gpm/5.7 Lpm	22.70	0.02	671254400320
3324104	EFX-1002-A	Multi-Lam Spray Insert Kit 0.5 gpm/1.9 Lpm	22.70	1.00	671254400306
3324105	EFX-1003-A	Capacitance Control Module Assembly 0.5 gpm/1.9 Lpm	380.45	0.08	671254400894
3324106	EFX-1004-A	Capacitance Control Module Assembly w/ Turbine 0.5 gpm/1.9 Lpm	499.95	0.08	671254401013
3324107	EFX-1005-A	Capacitance Control Module Assembly 1.5 gpm/5.7 Lpm	380.45	0.08	671254401020
3324108	EFX-1006-A	Capacitance Control Module Assembly w/ Turbine 1.5 gpm/5.7 Lpm	499.95	0.08	671254401037
3324160	EFX-1009-A	Crown Kit (Basic) EFX-8XX	312.30	1.00	671254403048
3324138	EFX-1010-A	Crown Kit (Solar) EFX-8XX	431.80	—	—
3324162	EFX-1011-A	Solenoid Valve Caddy Kit (0.5 gpm) EFX-8XX	130.60	—	671254403055
3324163	EFX-1012-A	Solenoid Valve Caddy Kit (1.5 gpm) EFX-8XX	119.20	1.00	671254403062
3324164	EFX-1013-A	Mounting Assembly Kit EFX-8XX (Does Not Include Solenoid Caddy)	113.30	—	—
3324165	EFX-1014-A	Wall Flange Kit EFX-8XX	22.70	1.00	671254403086
3324166	EFX-1015-A	Battery Kit For EFX-8XX	22.70	1.00	671254403093
3324114	EFX-13-A	Solenoid Valve Caddy 0.5 gpm/1.9 Lpm, Low CAP	119.20	1.00	671254400436
3324115	EFX-14-A	Solenoid Valve Caddy 1.5 gpm/5.7 Lpm, Low CAP	119.20	1.00	671254400443
3324122	EFX-15-A	Solenoid Valve Caddy 0.5 gpm/1.9 Lpm, Mid	124.95	0.08	671254399952
3324123	EFX-16-A	Solenoid Valve Caddy 1.5 gpm/5.7 Lpm, Mid	124.95	0.08	671254399969
3324124	EFX-17-A	Solenoid Valve Caddy 0.5 gpm/1.9 Lpm, High	130.60	0.33	671254402256
3324125	EFX-18-A	Solenoid Valve Caddy 1.5 gpm/5.7 Lpm, High	130.60	0.33	671254400580
3324129	EFX-19	Filter for Solenoid Caddy (Package of 10)	17.05	0.08	671254399822
3324118	EFX-1-A	CP Standard Crown (IR)	283.90	0.34	671254400573
3324116	EFX-21-A	Faucet Spout Mounting Kit, Integrated Base Faucet - 8"	44.80	1.00	671254400450
3324117	EFX-23-A	Battery Box Kit EFX-3XX/EFX-6XX (IR)	68.15	0.27	671254399815
3324134	EFX-25-A	Cap For Mixer Opening	17.05	0.03	671254403680
3324112	EFX-2-A	CP Standard Crown (CAP)	68.15	1.00	671254400412
0324034	EFX-34	Flexible Supply Hose 18-Inch, Single Supply Only (L=45mm)	17.00	1.00	671254394704
3324132	EFX-36	Control Module Mounting Hardware	22.30	1.00	671254401228
3324126	EFX-37-A	Solenoid Valve Caddy 0.5 gpm/1.9 Lpm, Low IR	119.20	0.08	671254399648
3324127	EFX-38-A	Solenoid Valve Caddy 1.5 gpm/5.7 Lpm, Low IR	119.20	0.08	671254399655
3324131	EFX-39-A	Supply Washer Kit	17.05	0.08	671254400627
3324119	EFX-3-A	CP Crown (Solar)	403.45	0.08	671254399945
3324120	EFX-4-A	CP Crown (Solar+LCD)	702.25	—	671254399846
3324121	EFX-5-A	CP Crown (LCD Only)	582.75	0.33	671254400641
3324128	EFX-7-A	Battery Box For Above Deck Electronics, IR (Mid, High)	68.15	0.27	671254399808
3324113	EFX-8-A	Battery Box For Below Deck Electronics, CAP	34.10	1.00	671254400429



EFX-14-A



EFX-38-A



EFX-3-A



EFX-7-A

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
Optima Faucet EAF, EBF, ETF Parts & Accessories					
305527	ETF-1004-A	Solenoid & Mounting Hardware	89.90	0.47	671254115927
3305577	ETF-1009-A	Solenoid Valve Repair Kit	40.00	0.06	671254115552
3365030	ETF-1019-A	Microphone Sensor Junction Box Kit (EL-3500A & ETF-450-A)	255.65	1.16	671254134256
3365091	ETF-1021-A	Spray Head 0.5 gpm Female Vandal Resistant	25.85	0.06	671254145146
3365090	ETF-1022-A	Spray Head 2.2 gpm Female Vandal Resistant – Aerated Stream	25.85	0.06	671254144910
3365092	ETF-1023-A	Spray Head 0.5 gpm Male Vandal Resistant	25.85	0.06	671254144903
3365093	ETF-1024-A	Spray Head 2.2 gpm Male Vandal Resistant – Aerated Stream	25.85	0.06	671254144927
3365161	ETF-1028-A	Spray Head 1.5 gpm Female Vandal Resistant – Laminar Stream	25.85	0.08	671254231634
3365162	ETF-1029-A	Spray Head 2.2 gpm Male Vandal Resistant – Laminar Stream	25.85	0.08	671254231658
0305784PK	ETF-178	CP Spray Head Adapter (ETF-500/EBF-550/ETF-700/EBF-750)	23.80	0.32	671254057098
0305613PK	ETF-250-A	Faucet/Sensor Assembly (ETF-80)	233.70	2.38	671254007000
0305728	ETF-259	Tee Compression Fitting	21.10	0.12	671254007758
0305536PK	ETF-261-A	Faucet Assembly CP (ETF-770)	185.90	—	671254371194
0305626	ETF-290-A	Faucet Mounting Kit for EBF-85	8.50	0.75	671254007123
0305736	ETF-297	Union Reducer 1/4" to 3/8"	13.35	0.07	671254007833
0305849PK	ETF-370-A	Solenoid Valve Assembly 24V	106.00	0.86	671254120174
3365676	ETF-437-A	Solenoid Assembly Kit-Single	27.75	0.34	671254135338
3365000	ETF-450-A	Splash Proof Junction Box	175.90	0.54	671254131460
0365001	ETF-458-A	Power Cord Kit	22.25	0.22	671254124578
3365001	ETF-470-A	Check Valve	41.95	0.20	671254125261
0365108PK	ETF-472-A	Faucet/Sensor Assembly Standard	376.45	0.83	671254200227
0365109PK	ETF-473-A	Faucet/Sensor Assembly with Surgical Bend	385.45	3.02	671254200210
3365003	ETF-492-A	Splash Proof Junction Box for use w/EL-350A only	125.85	1.25	671254247444
0365110	ETF-503-A	Spout Mounting Kit – includes Rubber Wshr Flat Wshr Lock Wshr Mting Nut	46.95	0.26	671254200203
0365070PK	ETF-542-A	Sensor Window Housing Assembly (ETF-600)	107.40	0.54	671254222007
0365086PK	ETF-543-A	Faucet/Sensor Assembly (ETF-600)	234.80	4.98	671254142398
3365088	ETF-546-A	Faucet Mounting Kit (ETF-600)	26.75	0.20	671254142404
0365058	ETF-547	Compression Fitting Connector	10.95	0.05	671254221987
0365162	ETF-595-A	CP Spout/Roll Pin Assembly	189.40	1.85	671254246508
3365461	ETF-617-A	Bak-Chek® Assembly	29.10	1.28	671254236035
0365147	ETF-621-A	Spray Head 2.2 gpm (8.3 Lpm) Female – Laminar Stream	25.85	0.06	671254265578
0365387	ETF-687-A	Spray Head 1.5 gpm (5.7 Lpm) Female – Laminar Stream	25.85	0.06	671254351936
0365752	ETF-735-A	Splash Proof Junction Box	175.90	0.55	671254353695
0365758	ETF-740-A	Solenoid Valve Assembly	194.05	1.40	671254353145
0365420	ETF-801-A	0.5 gpm (1.9 Lpm) Laminar Flow Spray Head	25.85	0.06	671254343320
3326027	MIX-111-A	Mounting Hardware Kit (for MIX-110-AA)	55.00	0.16	671254244382
3326028	MIX-123-A	Handle Assembly (for MIX-100-A & MIX-110-AA)	27.20	0.20	671254244399
3326047	MIX-59	Ceramic Cartridge (for MIX-100-A & MIX-110-AA)	44.80	0.10	671254244344
3326044	MIX-79	Check Valve (package of two)	10.95	—	671254244351
3326034	MIX-84-A	Mounting Hardware Kit (for MIX-100-A)	3.40	0.08	671254244368
3326035	MIX-87-A	Temperature Limit Stop Kit (for MIX-100-A & MIX-110-AA)	18.35	0.03	671254244375



EAF-12



EBF-1001-A



EBF-80-A

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com


Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
0328134	AC-55-A	Spray Head Assembly for EBF-550 & 750, ESF-20 & 30, ETF-700	122.95	0.79	671254145016
0335001	EAf-2	Solenoid Valve Cartridge Optima i.q.® Faucet	148.45	0.20	671254255005
0335002	EAf-3-A	Sensor Assembly Battery without Optima i.q.®-cliq	351.25	0.35	671254255012
0335007	EAf-9	Filter Optima i.q.® Faucet	10.60	0.01	671254255067
0335008	EAf-10	Spray Head 2.2 gpm Male Metric CP Aerated Stream	25.85	0.03	671254255074
0335010	EAf-12	Spray Head 0.5 gpm Male Metric	25.85	0.06	671254262348
0335011	EAf-13	Spray Head 2.2 gpm Laminar Stream Male Metric	25.85	0.06	671254265233
0335013	EAf-14-A	Sensor Assembly Solar w/o Optima i.q.®-cliq	442.10	0.30	671254306035
0335015	EAf-17	Cable Assembly 10'	81.10	0.25	671254310391
0335024	EAf-24-A	Extension Cable for EAF Series Faucets – 0.3 M	17.20	0.10	671254326514
0335025	EAf-25-A	Extension Cable for EAF Series Faucets – 1.2 M	21.65	0.10	671254326521
3335009	EAf-1000	Battery Replacement Kit – EAF-100-150 Faucets	41.90	0.50	671254254961
3335018	EAf-1003	Battery Replacement Kit – EAF-250/275 Faucets	54.50	0.10	671254306219
3335021	EAf-1006	Cap and Solar Cell Assembly – EAF-275 faucet	133.40	0.50	671254306240
3315009	EBF-1001-A	Filter Replacement Kit	7.40	0.08	671254128286
3315122	EBF-1009-A	Fiberoptic Cable Repair Kit	158.75	0.50	671254228887
3315254	EBF-1011-A	Solenoid Valve Assembly	181.55	1.43	671254316287
3315016	EBF-10-A	Faucet/Sensor Assembly (EBF-85)	314.25	2.53	671254272538
3315111	EBF-11-A	Module Assembly	250.45	1.30	671254214057
0315100PK	EBF-140-A	Faucet and Sensor Assembly-Standard Bend w/Adapter	383.90	1.70	671254377011
0315137	EBF-203-A	Cable Extension 16"	83.20	0.10	671254232693
3315014	EBF-25-A	Mounting Bracket Kit – including Plates, Brackets, Screws, Washers, Anchors	63.05	0.66	671254131354
0315104	EBF-60-A	Control Module Assembly	313.00	1.39	671254214811
3315018	EBF-79-A	Mounting Hardware Kit	26.95	0.50	671254139633
0315040PK	EBF-80-A	Sensor Window & Cable Assembly	106.80	0.37	671254274853



ETF-617-A



ETF-740-A



SFP-8

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
Sloan Faucet (SF) Parts & Accessories					
0362004	SFP-4	Mounting Hardware Kit – Pedestal Faucet	14.35	0.20	671254322295
0362005	SFP-5	Mounting Hardware Kit – Gooseneck Faucet	7.55	0.20	671254322288
0362008	SFP-8	Control Module	72.35	1.40	671254322325
0362034	SFP-34	Faucet Sensor Assembly	83.90	0.17	671254340152
0362040	SFP-40-A	Control Module w/Range Adjustment	86.60	1.45	671254351943
0362041	SFP-41-A	Faucet Sensor Assembly w/Range Adjustment	110.50	0.17	671254351950



ETF-1022-A



ETF-437-A




ETF-450-A



ETF-1009-A

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
Trim Plates – Chrome Plated Brass					
3365466	ETF-295-A	4" Trim Plate – Single Hole ETF80 & EBF85 with or without Below Deck Mixing Valve	42.65	0.20	671254139800
3365468	ETF-312-A with or	4" Trim Plate – Single Hole EAF200/250/275,ELF10, ESF20, EBF187, ERF885 without Below Deck Mixing Valve	42.65	0.20	671254139824
3324100	EFX-20-A	4" Base Plate - Single Hole for EFX BASYS Series	65.55	0.40	671254394636
3365302	ETF-607-A	4" Trim Plate – Single Hole EAF100/150, ETF610, EBF615, EBF750, ETF700 with or without Below Deck Mixing Valves	47.60	0.30	671254226623
3365473	ETF-662-A	4" Trim Plate – Single Hole ETF880 with or without Below Deck Mixing Valves	47.50	0.22	671254269125
3326012	MIX-101-A	4" Trim Plate – Double Hole ETF80, EBF85, EBF885, ELF10 for OPTIMIX® Above Deck Mixing Valve (MIX-110-AA not included)	61.90	0.30	671254225312
3365467	ETF-299-A	4" Trim Plate -Double Hole ESD200080/25085 faucet/soap combo with or without Below Deck Mixing Valve	42.65	0.21	671254139817
3365469	ETF-313-A	4" Trim Plate -Double Hole ETF660, ETF770 with or without Below Deck Mixing Valve	42.65	0.20	671254139831
3365255	ETF-640-A	4" Trim Plate -Double Hole ESD30880/35187 faucet/soap combo with or without Below Deck Mixing Valve	47.30	0.26	671254265257
3365470	ETF-314-A	4" Trim Plate – Triple Hole ETF660 & ETF770 for OPTIMIX® Above Deck Mixing Valve (MIX-110-AA not included)	42.65	0.20	671254139848
3365024	ETF-510-A	8" Trim Plate – Single Hole EAF200/250/275, ETF80/880, EBF85/187, EBF885 with or without Below Deck Mixing Valve	77.75	0.60	671254129948
3365119	ETF-578-A	8" Trim Plate – Single Hole ETF600 & EBF650 with or without Below Deck Mixing Valve	77.75	0.60	671254148178
3365303	ETF-608-A	8" Trim Plate – Single Hole EAF100/150,ETF610, EBF615, EBF750, ETF700 with or without Below Deck Mixing Valves	101.35	0.50	671254226630
3362022	SFP-22-A	8" Trim Plate – Single Hole SF2100/SF2200	35.40	0.50	671254331365
3326015	MIX-104-A	8" Trim Plate – Double Hole ETF80/880, EBF85/187, ERF885 for OPTIMIX® Above Deck Mixing Valve (MIX-110-AA not included)	101.35	0.50	671254225343
3326017	MIX-106-A	8" Trim Plate – Double Hole ETF610, EBF615, EBF750, ETF700 for OPTIMIX® Above Deck Mixing Valve (MIX-110-AA not included)	120.40	0.50	671254225367
3365602	ETF-432-A	8" Trim Plate – Double Hole ETF660, ETF770	77.75	0.44	671254139879
3365603	ETF-433-A	8" Trim Plate – Triple Hole ETF660 & ETF770 for OPTIMIX® Above Deck Mixing Valve (MIX-110-AA not included)	77.75	0.50	671254139886
3324101	EFX-26-A	8" Base Plate - Single Hole for EFX BASYS Series	76.50	1.00	671254394643



DSC1-82000



ETF-295-A



ETF-607




ETF-608-A

****Contact Your Local Sloan Representative**

(1) Bak Chek **(2)** Box Transformer "B" **(3)** Plug-In Transformer "P" **(4)** Less Transformer "LT" **(5)** 0.5 gpm/1.9 Lpm Multi-Lam Spray Head **(6)** 2.2 gpm/8.3 Lpm Laminar Spray Head **(7)** Surgical Bend Spout "S" **(8)** Shower Head Spray 2.2 gpm/8.3 Lpm "H" **(9)** 4" Trim Plate **(10)** 8" Trim Plate **(11)** Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" **(12)** Below Deck Mixing Valve – MIX-60-A "BDM" **(13)** Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" **(14)** Integral Temperature Control Spout Mixer "ISM" **(15)** Drain Pop Up "DPU" **(16)** Optima i.q.®-cliq button "IC" **(17)** 1.5 gpm/5.7 Lpm Aerator **(18)** 2.2 gpm/8.3 Lpm Aerated Spray Head **(19)** Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
Transformers and Adapters					
0345154PK	EL-154	Box Mount 120 VAC Input/24 VAC Output 50 VA 3 Faucets	43.90	2.30	671254139589
0345211PK	EL-208	Foot Mount 120 VAC Input/24 VAC Output 100 VA 6 Faucets	148.85	4.50	671254139572
0345370PK	EL-248-40	Box Mount 120 VAC Input/24 VAC Output 40 VA 2 Faucets	44.70	1.50	671254139626
0345999PK	EL-342	Box Mount 240 VAC Input/24 VAC Output 50 VA 3 Faucets	89.60	2.20	671254139558
0345125	EL-451	Box Mount 120 VAC Input/6 VAC Output 25 VA	96.95	2.00	671254241275
0365534PK	ETF-233	Plug-In 120 VAC Input/24 VAC Output 35 VA 2 Faucets	31.10	1.50	671254139701
0365879	ETF-416	Plug-In (for Canada) 120 VAC Input/24 VAC Output 35 VA 2 Faucets	31.10	1.50	671254139602
0335037	EAF-37	Box Mount 6 VDC Optima i.q.® Faucet	103.85	2.00	671254337879
0335009	EAF-11	6 VDC Faucet Plug-In Adapter for Optima i.q.® and BASYS Series	103.85	0.19	671254255081
0335039	EAF-39	Adapter 6.75 VDC Plug-In (UK)	103.85	0.25	671254337909
0324031	EFX-31	Voltage Adapter Capacitance Faucet Plug-In (US)	54.65	0.35	671254394353
0335041	EAF-41	Adapter 6.75 VDC Plug-In (EU)	103.85	0.19	371254368583
0362006	SFP-6	Plug-In 6 VDC for SF Series	29.95	1.60	671254322301
0362026	SFP-26	Plug-In 6 VDC 220AC 6DC-CH for SF Series	28.75	1.60	671254335714
Cable Extensions					
0365840	ETF-1003-108	Cable Ext. Kit 108" /2.7m Lg-Solenoid to Control Mod	36.75	0.20	671254143135
0365100	ETF-1003-240	Cable Ext. Kit 240" Lg- Solenoid to Control Mod	60.80	0.26	671254145542
0365838	ETF-1003-36	Cable Ext. Kit 36" /0.9m Lg- Solenoid to Control Mod	23.65	0.07	671254143111
OPTIMIX® On-Deck Manual Mixing Valve					
3326018	MIX-110-AA	On Deck Ceramic Mixing Valves	258.05	2.50	671254226203
3326021	MIX-110A-1 CP	Mixer/Trim Plate Kit 4"	310.45	2.70	671254243323
3326022	MIX-110A-2 CP	Mixer/Trim Plate Kit 8"	347.40	2.37	671254243330
3326023	MIX-110A-3 CP	Mixer/Trim Plate Kit 4"	310.45	2.79	671254243347
3326025	MIX-110A-5 CP	Mixer/Trim Plate Kit 8"	347.40	3.05	671254243361
3326026	MIX-110A-6 CP	Mixer/Trim Plate Kit 8"	347.40	3.05	671254243378
OPTIMIX® Below Deck Mixing and Tempering Valves					
3326009	MIX-60-A	Mechanical Mixing Valve for use with Single Faucet	42.35	0.50	671254142114
0326008PK	MIX-70-A	Thermo Mixing Valve for use with up to Six Faucets w/Straight Check Stops	201.10	4.00	671254139534
0326045PK	MIX-135-A	Thermostatic Mixing Valve for use with Single Faucet	125.25	1.70	671254241169
Grid Strainer					
00365036PK	ETF-460-A	Chrome Plated Brass with 1-1/4" Outlet Tube	28.75	1.00	671254127142
Lavatory Shield					
0365059	ETF-529	Optishield® Lavatory Shield	263.85	5.30	671254221994



EL-154



ETF-1003



MIX-60-A



ETF-460-A

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
Faucet and Soap Dispenser Combinations					
3346000	ESD-20080-P CP	Includes ETF-80 Faucet – (3)	1,199.95	10.75	671254262768
3346002	ESD-20080-P-BDM CP	Includes ETF-80 Faucet – (3), (12)	1,235.25	12.39	671254263604
3346003	ESD-20080-P-BDT CP	Includes ETF-80 Faucet – (3), (13)	1,445.65	13.52	671254263635
3346001	ESD-25085 CP	Soap Dispenser with Faucet Combination – with EBF-85 Faucet	1,337.25	11.11	671254263406
3346004	ESD-25085-BDM CP	Soap Dispenser with Faucet Combination with EBF-85 Faucet – (12)	1,372.50	11.45	671254263611
3346005	ESD-25085-BDT CP	Soap Dispenser with Faucet Combination with EBF-85 Faucet – (13)	1,582.80	12.63	671254263628
3346010	ESD-30880-P CP	Includes ETF-880 Faucet – (3)	1,305.10	12.24	671254270138
3346012	ESD-30880-P-BDT CP	Includes ETF-880 Faucet – (3), (13)	1,563.10	12.70	671254270152
3346023	ESD-30880-LT	Includes ETF-880 Faucet – (4)	1,220.55	10.40	671254336322
3346013	ESD-35187 CP	Soap Dispenser with Faucet Combination with EBF-187 Faucet	1,450.75	11.82	671254269989
3346014	ESD-35187-BDM CP	Soap Dispenser with Faucet Combination with EBF-187 Faucet – (12)	1,486.05	12.20	671254269996
3346015	ESD-35187-BDT CP	Soap Dispenser with Faucet Combination with EBF-187 Faucet – (13)	1,707.10	12.10	671254270008



ESD-20080



ESD-250



ESD-25085

****Contact Your Local Sloan Representative**

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
ESD-200 Electronic Sensor Soap Dispensers					
Includes 800 mL soap cartridge with new soap pathway and pump when changing soap cartridge. Reorder soap ESD-217, 231, 232, 233 from below.					
3346052	ESD-200-LT CP	Optima® Soap Dispenser – (4)	439.30	3.84	671254263598
3346051	ESD-200-P CP	Optima® Soap Dispenser – (3)	488.05	5.44	671254263512
ESD-250 Battery-Powered Electronic Soap Dispensers					
Includes 800 mL soap cartridge with new soap pathway and pump when changing soap cartridge. Reorder soap ESD-217, 231, 232, 233 from below.					
3346050	ESD-250 CP	Optima® Battery Soap Dispenser	488.05	5.53	671254260726
ESD-300 Electronic Sensor Soap Dispensers					
Includes 800 mL soap cartridge with new soap pathway and pump when changing soap cartridge. Includes chrome plated metal throat plate. Reorder soap ESD-217, 231, 232, 233 from below.					
3346058	ESD-300-LT CP	Optima® Soap Dispenser – (4)	507.50	4.85	671254269958
3346057	ESD-300-P CP	Optima® Soap Dispenser – (3)	556.25	5.40	671254269941
ESD-350 Battery-Powered Electronic Soap Dispenser					
Includes 800 mL soap cartridge with new soap pathway and pump when changing soap cartridge. Includes chrome plated metal throat plate. Reorder soap ESD-217, 231, 232, 233 from below.					
3346059	ESD-350 CP	Optima® Battery Soap Dispenser	556.25	5.72	671254269965
SJS-1650 Battery-Powered Electronic Soap Dispenser					
Includes 800 mL soap cartridge with new soap pathway and pump when changing soap cartridge. Includes chrome plated metal throat plate. Reorder soap ESD-217, 231, 232, 233 from below.					
7000004	SJS-1650	Sensor-Activated Deck-Mount Liquid Soap Dispenser Does not include soap – need to order SJS-1651-3 from list below	205.50	6.10	671254315723
SJS-1750 Battery-Powered Electronic Soap Dispenser					
Includes 800 mL soap cartridge with new soap pathway and pump when changing soap cartridge. Includes chrome plated metal throat plate. Reorder soap ESD-217, 231, 232, 233 from below.					
7000015	SJS-1750	Sensor Deck-Mount Foam Soap Dispenser Does not include soap – need to order SJS-1751 from list below	378.55	7.80	671254329027
ESD-400 Battery-Powered Electronic Soap Dispensers					
Includes 800 mL soap cartridge with new soap pathway and pump when changing soap cartridge. Reorder soap ESD-217, 231, 232, 233 from below.					
3346080	ESD-400 CP	Optima® Battery Soap Dispense	650.50	8.25	671254424210
Soap Refills & Accessories					
0346017	ESD-217	LOTION SOAP with Moisturizer 800 ml BOTTLE (Qty of 4 only)	24.80	2.20	671254265479
0346035	ESD-231	ANTIBACTERIAL SOAP 800 ml BOTTLE (Qty of 4 only)	25.95	2.20	671254266018
0346036	ESD-232	LOTION SOAP with Moisturizer 1600 ml bottle (Qty of 4 only)	48.00	4.00	671254266025
0346037	ESD-233	ANTIBACTERIAL SOAP 1600 ml BOTTLE (Qty of 4 only)	51.05	4.00	671254266032
5700307	SJS-1651-3	Sensor Deck-Mount Liquid Soap – 1000 mL each – Case Quantity only (6/case)	14.75	2.50	671254325555
5700751	SJS-1751	Sensor Deck-Mount Foam Soap – 1000 mL each – Case Quantity only (6/case)	14.30	2.50	671254330641
5700754	SJS-1751-3	Sensor Deck-Mount Foam Soap Green Seal (Fragrance Free) – 1000 mL each – Case Quantity only (6/case)	17.10	2.50	671254340299
5700755	SJS-1751-4	Sensor Deck-Mount Foam Soap Green Seal (Rose) – 1000 mL each – Case Quantity only (6/case)	17.10	2.50	671254340305
0700007	SJS-7	AC Adapter 120VAC/6VDC Plug in	26.50	0.60	671254346925



ESD-200



ESD-250



SJS-1750

**Contact Your Local Sloan Representative

(1) Bak Chok (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

AER-DEC Integrated Sink System

The AER-DEC Integrated sink system is the top of the line solution for any commercial restroom. The AER-DEC can be customized with over 100 colors, custom sizes and custom configurations. To get a quote for your sink go to sloan.com/resources to find architectural worksheets to select your sink.

*Pricing below is for the sink deck in a standard size, C Level Corian® color and including an enclosure and hand dryer. Also available in Quartz.

—	AD-81000	One-Station Sink, Enclosure, Hand Dryer	6,800.00	—	—
—	AD-82000	Two-Station Sink, Enclosure, Hand Dryer	10,700.00	—	—
—	AD-83000	Three-Station Sink, Enclosure, Hand Dryer	15,100.00	—	—
—	AD-84000	Four-Station Sink, Enclosure, Hand Dryer	19,400.00	—	—

Designer Series Gradient Sink


The Designer Series Gradient Sink is an impeccably crafted and elegantly functional design to compliment the design of the upscale commercial restroom. The Designer Series Gradient Sink can be customized with over 100 colors, custom sizes and custom configurations. To get a quote for your sink go to sloan.com/resources to find architectural worksheets to select your sink.

Pricing below is for the sink deck in a standard size, C Level Corian® color. Also available in Quartz. Pairs great with Sloan faucets and soap dispensers.

—	DSG-81000	One-Station Sink, Less Faucet	3,300.00	—	—
—	DSG-82000	Two-Station Sink, Less Faucet	5,000.00	—	—
—	DSG-83000	Three-Station Sink, Less Faucet	7,000.00	—	—
—	DSG-84000	Four-Station Sink, Less Faucet	8,700.00	—	—

Designer Series Gradient Options

Mounting Options					
AB	Angle Brackets for One-Station Sink	250.00	—	—	
	Angle Brackets for Two-Station Sink	420.00	—	—	
	Angle Brackets for Three-Station Sink	590.00	—	—	
	Angle Brackets for Four-Station Sink	760.00	—	—	
FM	Frame for One-Station Sink	740.00	—	—	
	Frame for Two-Station Sink	1,055.00	—	—	
	Frame for Three-Station Sink	1,370.00	—	—	
	Frame for Four-Station Sink	1,685.00	—	—	
ENC	Enclosure for One-Station Sink	840.00	—	—	
	Enclosure for Two-Station Sink	1,210.00	—	—	
	Enclosure for Three-Station Sink	1,580.00	—	—	
	Enclosure for Four-Station Sink	1,950.00	—	—	



AD-82000



DSWD-82000

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

Designer Series Weir Deck Sink

The Designer Series Weir Deck reflects the simplicity of modern design for the most discerning of commercial restrooms. The Designer Series Weir Deck Sink can be customized with over 100 colors, custom sizes and custom configurations. To get a quote for your sink go to sloan.com/resource to find architectural worksheets to select your sink.

Pricing below is for the sink deck in a standard size, C Level Corian® color. Also available in Quartz. Pairs great with Sloan faucets and soap dispensers.

—	DSWD-81000	One-Station, Less Faucet	3,300.00	—	—
—	DSWD-82000	Two-Station, Less Faucet	5,000.00	—	—
—	DSWD-83000	Three-Station, Less Faucet	7,000.00	—	—
—	DSWD-84000	Four-Station Sink , Less Faucet	8,800.00	—	—

Designer Series Weir Deck Options

Mounting Options

AB	Angle Brackets for One-Station Sink	250.00	—	—
	Angle Brackets for Two-Station Sink	420.00	—	—
	Angle Brackets for Three-Station Sink	590.00	—	—
	Angle Brackets for Four-Station Sink	760.00	—	—
FM	Frame for One-Station Sink	740.00	—	—
	Frame for Two-Station Sink	1,055.00	—	—
	Frame for Three-Station Sink	1,370.00	—	—
	Frame for Four-Station Sink	1,685.00	—	—
ENC	Enclosure for One-Station Sink	840.00	—	—
	Enclosure for Two-Station Sink	1,210.00	—	—
	Enclosure for Three-Station Sink	1,580.00	—	—
	Enclosure for Four-Station Sink	1,950.00	—	—

Designer Series Open Front Sink

The Designer Series Open Front sink introduces a visually striking approach to the modern restroom. The Designer Series Open Front Sink can be customized with over 100 colors, custom sizes and custom configurations. To get a quote for your sink go to sloan.com/resource to find architectural worksheets to select your sink.

Pricing below is for the sink deck in a standard size, C Level Corian® color. Also available in Quartz. Pairs great with Sloan faucets and soap dispensers.

—	DSOF-81000	One-Station, Less Faucet	3,200.00	—	—
—	DSOF-82000	Two-Station, Less Faucet	4,900.00	—	—
—	DSOF-83000	Three-Station, Less Faucet	6,800.00	—	—
—	DSOF-84000	Four-Station Sink , Less Faucet	8,600.00	—	—

Designer Series Open Front Options

Mounting Options

AB	Angle Brackets for One-Station Sink	250.00	—	—
	Angle Brackets for Two-Station Sink	420.00	—	—
	Angle Brackets for Three-Station Sink	590.00	—	—
	Angle Brackets for Four-Station Sink	760.00	—	—
FM	Frame for One-Station Sink	740.00	—	—
	Frame for Two-Station Sink	1,055.00	—	—
	Frame for Three-Station Sink	1,370.00	—	—
	Frame for Four-Station Sink	1,685.00	—	—
ENC	Enclosure for One-Station Sink	840.00	—	—
	Enclosure for Two-Station Sink	1,210.00	—	—
	Enclosure for Three-Station Sink	1,580.00	—	—
	Enclosure for Four-Station Sink	1,950.00	—	—



DSOF-82000

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

Designer Series Vessel Sink

The Designer Series Vessel Sink creates a high end residential feel. The Designer Series Vessel Sink can be customized with over 100 colors, custom sizes and custom configurations. To get a quote for your sink go to sloan.com/resource to find architectural worksheets to select your sink.

Pricing below is for the sink deck in a standard size, C Level Corian® color. Also available in Quartz. Pairs great with Sloan faucets.

—	DSVR-81000	One-Station, Less Faucet	2,900.00	—	—
—	DSVR-82000	Two-Station, Less Faucet	4,300.00	—	—
—	DSVR-83000	Three-Station, Less Faucet	6,000.00	—	—
—	DSVR-84000	Four-Station Sink , Less Faucet	7,500.00	—	—

Designer Series Vessel Sink Options

Mounting Options

AB	Angle Brackets for One-Station Sink	250.00	—	—
	Angle Brackets for Two-Station Sink	420.00	—	—
	Angle Brackets for Three-Station Sink	590.00	—	—
	Angle Brackets for Four-Station Sink	760.00	—	—
FM	Frame for One-Station Sink	740.00	—	—
	Frame for Two-Station Sink	1,055.00	—	—
	Frame for Three-Station Sink	1,370.00	—	—
	Frame for Four-Station Sink	1,685.00	—	—
ENC	Enclosure for One-Station Sink	840.00	—	—
	Enclosure for Two-Station Sink	1,210.00	—	—
	Enclosure for Three-Station Sink	1,580.00	—	—
	Enclosure for Four-Station Sink	1,950.00	—	—

Designer Series Countertop Sink

The Designer Series Countertop sink is a remarkably durable and contemporary design. The Designer Series Countertop sink can be customized with over 100 colors, custom sizes and custom configurations. To get a quote for your sink go to sloan.com/resource to find architectural worksheets to select your sink.

Pricing below is for the sink deck in a standard size, C Level Corian® color. Also available in Quartz. Pairs great with Sloan faucets and soap dispensers.

—	DSCT-81000	One-Station Sink, Less Faucet	2,000.00	—	—
—	DSCT-82000	Two-Station Sink, Less Faucet	3,100.00	—	—
—	DSCT-83000	Three-Station Sink, Less Faucet	4,400.00	—	—
—	DSCT-84000	Four-Station Sink, Less Faucet	5,400.00	—	—

Designer Series Countertop Options

Mounting Options

AB	Angle Brackets for One-Station Sink	250.00	—	—
	Angle Brackets for Two-Station Sink	420.00	—	—
	Angle Brackets for Three-Station Sink	590.00	—	—
	Angle Brackets for Four-Station Sink	760.00	—	—
FM	Frame for One-Station Sink	740.00	—	—
	Frame for Two-Station Sink	1,055.00	—	—
	Frame for Three-Station Sink	1,370.00	—	—
	Frame for Four-Station Sink	1,685.00	—	—
ENC	Enclosure for One-Station Sink	840.00	—	—
	Enclosure for Two-Station Sink	1,210.00	—	—
	Enclosure for Three-Station Sink	1,580.00	—	—
	Enclosure for Four-Station Sink	1,950.00	—	—



DSVR-82000



DSCT-82000

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

Designer Series Urban Pedestal Sink

The Designer Series Urban Pedestal sink is distinctive by deisng brining a clean and modern appeal to the commerical restroom. The Designer Series Urban Pedestal sink can be customized with over 100 colors and custom sizes. To get a quote for your sink go to sloan.com/resource to find architectural worksheets to select your sink.

Pricing below is for the sink deck in a standard size, C Level Corian® color. Also available in Quartz. Pairs great with Sloan faucets and soap dispensers.

—	DSUP-81000	One-Station Sink, Less Faucet	3,400.00	—	—
---	------------	-------------------------------	----------	---	---

SloanStone® Electronic Lavatory Gradient (ELGR Series)

The Electronic Lavatory Gradient Sink is available in 25 colors and 4 sizes.

Pricing below is for the sink deck only. Pairs great with Sloan faucets and soap dispensers.

—	ELGR-81000	One-Station Sink, Less Faucet	1,100.00	—	—
—	ELGR-82000	Two-Station Sink, Less Faucet	2,280.00	—	—
—	ELGR-83000	Three-Station Sink, Less Faucet	3,510.00	—	—
—	ELGR-84000	Four-Station Sink, Less Faucet	4,740.00	—	—

ELGR Options

Mounting Options

AB	Angle Brackets for One-Station Sink	250.00	—	—
	Angle Brackets for Two-Station Sink	420.00	—	—
	Angle Brackets for Three-Station Sink	590.00	—	—
	Angle Brackets for Four-Station Sink	760.00	—	—
ENC	Enclosure for One-Station Sink	840.00	—	—
	Enclosure for Two-Station Sink	1,210.00	—	—
	Enclosure for Three-Station Sink	1,580.00	—	—
	Enclosure for Four-Station Sink	1,950.00	—	—

SS Electronic Washstation (EW Series)


The EW Series is a sensor activated lavatory system with integrated electronic Optima® technology.

Pricing below for sink with enclosure, integrated faucets and below deck thermostatic mixing valve.

—	EW-42000	Two-Station Lavatory System	3,900.00	—	—
—	EW-43000	Three-Station Lavatory System	5,818.40	—	—
—	EW-62000	Two-Station Lavatory System with Transformer	3,800.00	—	—
—	EW-62050	Two-Station Lavatory System, Battery-Powered	3,775.80	—	—
—	EW-63000	Three-Station Lavatory System with Transformer	5,603.10	—	—
—	EW-63050	Three-Station Lavatory System, Battery-Powered	5,579.30	—	—
—	EW-72000	Two-Station Lavatory System	4,200.00	—	—
—	EW-73000	Three-Station Lavatory System	6,661.80	—	—

EW Options

JVC (40000 Series Only)	Juvenile Height	N/C	—	—
MSD (EW-42000 Only)	Manual Soap Dispenser	240.00	—	—
MSD (EW-43000 Only)	Manual Soap Dispenser	417.00	—	—
MSD (62000/62050/72000 Only)	Manual Soap Dispenser	200.00	—	—
MSD (63000/63050/73000 Only)	Manual Soap Dispenser	400.00	—	—
FC (62000/62050/72000 Only)	Manual Soap Dispenser with Lid Mounted Fill Cap	200.00	—	—
FC (63000/63050/73000 Only)	Manual Soap Dispenser with Lid Mounted Fill Cap	400.00	—	—
FM (40000 Series Only)	Floor Mount	278.00	—	—



ELG-82000



DSUP-81000

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

SS Electronic Wash Fountain (EWF Series)

The EWF Series is a sensor activated lavatory system with integrated electronic Optima® technology.

Pricing below is for sink with enclosure, integrated faucets and below deck thermostatic mixing valve.

—	EWF-42000	Two-Station Lavatory-Corner Unit	6,259.85	—	—
—	EWF-43000	Three-Station Lavatory	6,827.40	—	—
—	EWF-44000	Four-Station Lavatory	7,356.30	—	—

EWF Options

MSD (EW-42000)	Manual Soap Dispenser	321.00	—	—
MSD (EW-43000)	Manual Soap Dispenser	402.00	—	—
MSD (EW-44000)	Manual Soap Dispenser	439.00	—	—
FM	Floor Mount	223.75	—	—

SS Electronic Lavatory Countertop (ELC Series)

The ELC Series is solid surface deck.

Pricing below is for sink. Pairs great with Sloan faucets and soap dispensers.

—	ELC-71000	One-Station Lavatory, Less faucet	1,502.90	—	—
—	ELC-72000	Two-Station Lavatory, Less faucet	2,800.00	—	—
—	ELC-73000	Three-Station Lavatory, Less faucet	4,007.50	—	—
—	ELC-74000	Four-Station Lavatory, Less faucet	5,475.00	—	—
—	ELC-41000	One-Station lavatory Deck, Less faucet	1,602.90	—	—
—	ELC-42000	Two-Station Lavatory Deck, Less faucet	2,900.00	—	—
—	ELC-43000	Three-Station Lavatory Deck, Less faucet	4,107.50	—	—
—	ELC-44000	Four-Station Lavatory Deck, Less faucet	5,575.00	—	—

ELC Options

FM	Floor Mount	223.75	—	—
AB	Angle Bracket/ea. (Number of Stations plus one needed)	99.00	—	—
FA/BS	Front Apron/Back Splash (each)	202.00	—	—
LS/RS	Left Splash/Right Splash (each)	198.00	—	—

Deluxe Electronic Lavatory Countertop

The ELC Series is solid surface deck with sloped material between sink basins to keep the sink dry and user friendly.

Pricing below is for sink and enclosure. Pairs great with Sloan faucets, soap dispensers not available for this model.

—	ELC-81000	One-Station Sink, Less Faucet	2,334.85	—	—
—	ELC-82000	Two-Station Sink, Less Faucet	3,000.00	—	—
—	ELC-83000	Three-Station Sink, Less Faucet	4,165.50	—	—

ELC Options

XCW (80000 Series Only)	Less Continuous Waste and P-Trap	N/C	—	—
-------------------------	----------------------------------	-----	---	---



ELC-81000



EWF-43000

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

SS Electronic Lavatory Sink (ELS Series)

The ELS Series is a solid surface deck with integrated solid surface bowls.

Pricing below is for sink and enclosure. Pairs great with Sloan faucets and soap dispensers.

—	ELS-41000	One-Station Lavatory Deck, Less faucet	1,302.90	—	—
—	ELS-42000	Two-Station Lavatory Deck, Less faucet	2,600.00	—	—
—	ELS-43000	Three-Station Lavatory Deck, Less faucet	3,807.50	—	—
—	ELS-44000	Four-Station Lavatory Deck, Less faucet	5,275.00	—	—
—	ELS-62000	Two-Station Lavatory Deck, Less Faucet	2,400.00	—	—
—	ELS-63000	Three-Station Lavatory Deck, Less Faucet	3,565.50	—	—
—	ELS-72000	Two-Station Lavatory Deck, Less faucet	2,500.00	—	—
—	ELS-73000	Three-Station Lavatory Deck, Less faucet	3,707.50	—	—

ELS Options

AB	Angle Bracket/ea. (Number of Stations plus one needed)	99.00	—	—
JVC (40000 Series Only)	Juvenile Height	N/C	—	—
FM (40000 Series Only)	Floor Mount	347.00	—	—
FC (62000/62050/72000 Only)	Manual Soap Dispenser with Lid Mounted Fill Cap	220.00	—	—
FC (63000/63050/73000 Only)	Manual Soap Dispenser with Lid Mounted Fill Cap	410.00	—	—

Bio Deck Sink

The Bio-Deck Sink pricing below is for the sink deck only. This sink is offered in 4 different colors.

Pricing below is for sink only. Pairs great with Sloan faucets and soap dispensers.

—	ELB 51000	One-Station sink with brackets, Less faucet	1,611.20	—	—
—	ELB-52000	Two-Station sink with brackets, Less faucet	2,728.40	—	—

Optima® Sensor-Activated Hand Washing Sinks

Includes stainless steel hand washing sink, Sloan Optima® sensor-activated faucet, 24 VAC plug-in transformer, strainer, p-trap and z-bar mounting clip. Furnished with 2.2 gpm (8.3 Lpm) laminar spray head.

3850045	EHS-1080	Includes ETF-80 faucet	3,327.80	72.00	671254146815
3850046	EHS-1080-BDT	Includes ETF-80 faucet, (13)	3,578.80	72.00	671254146822
3850047	EHS-1080-ADM	Includes ETF-80 faucet, (11)	3,578.80	72.00	671254146839
3850049	EHS-1600	Includes ETF-600 faucet	3,306.55	72.00	671254217119
3850050	EHS-1600-BDT	Includes ETF-600 faucet, (13)	3,557.65	72.00	671254217126
3850051	EHS-1600-ADM	Includes ETF-600 faucet, (11)	3,557.65	72.00	671254217133
3850036	EHS-1660	Includes ETF-660 faucet	3,327.80	72.00	671254146730
3850037	EHS-1660-BDT	Includes ETF-660 faucet, (13)	3,578.80	72.00	671254146747
3850038	EHS-1660-ADM	Includes ETF-660 faucet, (11)	3,578.80	72.00	671254146754
3850053	EHS-1700	Includes ETF-700 faucet,	3,327.80	72.00	671254146853
3850054	EHS-1700-BDT	Includes ETF-700 faucet, (13)	3,578.80	72.00	671254146860
3850055	EHS-1700-ADM	Includes ETF-700 faucet, (11)	3,578.80	72.00	671254146877
3850041	EHS-1770	Includes ETF-770 faucet	3,268.15	72.00	671254146778
3850042	EHS-1770-BDT	Includes ETF-770 faucet, (13)	3,519.30	72.00	671254146785
3850043	EHS-1770-ADM	Includes ETF-770 faucet, (11)	3,519.30	72.00	671254146792
3850061	EHS-1750	Includes ETF-750 faucet	3,489.70	72.00	671254217072
3850062	EHS-1750-BDT	Includes ETF-750 faucet, (13)	3,740.80	72.00	671254217089
3850063	EHS-1750-ADM	Includes ETF-750 faucet, (11)	3,740.80	72.00	671254217096



ELS-62000



EHS-1080

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

Optima® Single Station Sensor-Activated Scrub Sinks

Include scrub sink, Sloan Optima® sensor-activated deck mounted surgical bend faucet with flow controlling spray head (laminar or shower spray), self-adaptive sensor, 24 VAC plug-in transformer, beehive strainers, P-trap and Z-bar mounting clip.

3850004	ESS-2100-C	Optima® Sensor Scrub Sinks – (6)	10,412.75	80.00	671254136557
3850005	ESS-2100-H	Optima® Sensor Scrub Sinks – (8)	10,412.75	80.00	671254136564
3850006	ESS-2100-C-BDT	Optima® Sensor Scrub Sinks – (6), (13)	11,185.00	80.00	671254136571
3850007	ESS-2100-H-BDT	Optima® Sensor Scrub Sinks – (8), (13)	11,185.00	80.00	671254136588
3850008	ESS-2100-C-ADM	Optima® Sensor Scrub Sinks – (6), (11)	10,663.80	80.00	671254136595
3850009	ESS-2100-H-ADM	Optima® Sensor Scrub Sinks – (8), (11)	10,663.80	80.00	67125413660

Optima® Double-Station Sensor-Activated Scrub Sinks

Include scrub sink, two Sloan Optima® sensor-activated deck mounted surgical bend faucets with flow controlling spray head (laminar or shower spray), self-adaptive sensor, two 24 VAC plug-in transformers, beehive strainers, P-trap and Z-bar mounting clip.

3850016	ESS-2200-C	Optima® Sensor Scrub Sinks – (6)	13,794.30	262.00	671254136670
3850017	ESS-2200-H	Optima® Sensor Scrub Sinks – (8)	13,794.30	262.00	671254136687
3850018	ESS-2200-C-BDT	Optima® Sensor Scrub Sinks – (6), (13)	14,272.85	262.00	671254136694
3850019	ESS-2200-H-BDT	Optima® Sensor Scrub Sinks – (8), (13)	14,272.85	262.00	671254136700
3850020	ESS-2200-C-ADM	Optima® Sensor Scrub Sinks – (6), (11)	14,296.70	262.00	671254136717
3850021	ESS-2200-H-ADM	Optima® Sensor Scrub Sinks – (8), (11)	14,296.70	262.00	671254136724

Optima® Triple-Station Sensor-Activated Scrub Sinks

Include scrub sink, two Sloan Optima® sensor-activated deck mounted surgical bend faucets with flow controlling spray head (laminar or shower spray), self-adaptive sensor, two 24 VAC plug-in transformers, beehive strainers, P-trap and Z-bar mounting clip.

3850028	ESS-2300-C	Optima® Sensor Scrub Sinks – (6)	17,640.40	303.00	671254136793
3850029	ESS-2300-H	Optima® Sensor Scrub Sinks – (8)	17,640.40	303.00	671254136809
3850030	ESS-2300-C-BDT	Optima® Sensor Scrub Sinks – (6), (13)	18,262.45	303.00	671254136816
3850031	ESS-2300-H-BDT	Optima® Sensor Scrub Sinks – (8), (13)	18,262.45	303.00	671254136823
3850032	ESS-2300-C-ADM	Optima® Sensor Scrub Sinks – (6), (11)	18,393.85	303.00	671254136830
3850033	ESS-2300-H-ADM	Optima® Sensor Scrub Sinks – (8), (11)	18,393.85	303.00	671254136847

Optima® Deluxe Single-Station Sensor-Activated Scrub Sinks

Includes scrub sink, Sloan Optima® sensor-activated deck mounted surgical bend faucet with flow controlling spray head (laminar or shower spray), self-adaptive sensor, knee activated soap dispenser, 24 VAC plug-in transformer, beehive strainer, P-trap and Z-bar mounting clip.

3850201	ESS-3100-C	Optima® Sensor Scrub Sinks – (6)	15,046.05	299.00	671254250567
3850202	ESS-3100-H	Optima® Sensor Scrub Sinks – (8)	15,046.05	299.00	671254250574
3850203	ESS-3100-C-BDT	Optima® Sensor Scrub Sinks – (6), (13)	15,371.20	299.00	671254250581
3850204	ESS-3100-H-BDT	Optima® Sensor Scrub Sinks – (8), (13)	15,371.20	299.00	671254250598
3850205	ESS-3100-C-ADM	Optima® Sensor Scrub Sinks – (6), (11)	15,283.95	299.00	671254250604
3850206	ESS-3100-H-ADM	Optima® Sensor Scrub Sinks – (8), (11)	16,562.60	299.00	671254250611



ESS-2100-C



ESS-2200-H



ESS-2300



ESS-3100

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com

Code Number	Product Number	Description	List Price \$	Est. Wt. (lbs.)	UPC Code
-------------	----------------	-------------	---------------	-----------------	----------

Optima® Deluxe Double-Station Sensor-Activated Scrub Sinks

Includes scrub sink, two Sloan Optima® sensor-activated deck mounted surgical bend faucets with flow controlling spray head (laminar or shower spray), self-adaptive sensors, knee activated soap dispenser, two (2) 24 VAC plug-in transformers, beehive strainer, P-trap and Z-bar mounting clip.

3850211	ESS-3200-C	Optima® Sensor Scrub Sinks – (6)	20,090.80	340.00	671254250437
3850212	ESS-3200-H	Optima® Sensor Scrub Sinks – (8)	#N/A	340.00	—
3850213	ESS-3200-C-BDT	Optima® Sensor Scrub Sinks – (6), (13)	20,762.00	340.00	671254250451
3850214	ESS-3200-H-BDT	Optima® Sensor Scrub Sinks – (8), (13)	20,762.00	340.00	671254250468
3850215	ESS-3200-C-ADM	Optima® Sensor Scrub Sinks – (6), (11)	20,869.75	340.00	671254250475
3850216	ESS-3200-H-ADM	Optima® Sensor Scrub Sinks – (8), (11)	20,869.75	358.00	671254250482

Optima® Deluxe Triple-Station Sensor-Activated Scrub Sinks

Includes scrub sink, three Sloan Optima® sensor-activated deck mounted surgical bend faucets with flow controlling spray head (laminar or shower spray), self-adaptive sensors, knee activated soap dispenser, three (3) 24 VAC plug-in transformer, beehive strainer, P-trap and Z-bar mounting clip.

3850221	ESS-3300-C	Optima® Sensor Scrub Sinks – (6)	24,959.75	390.00	671254250727
3850222	ESS-3300-H	Optima® Sensor Scrub Sinks – (8)	#N/A	390.00	—
3850223	ESS-3300-C-BDT	Optima® Sensor Scrub Sinks – (6), (13)	25,630.65	390.00	671254250758
3850224	ESS-3300-H-BDT	Optima® Sensor Scrub Sinks – (8), (13)	25,630.65	390.00	671254250765
3850225	ESS-3300-C-ADM	Optima® Sensor Scrub Sinks – (6), (11)	26,127.40	390.00	671254250772
3850226	ESS-3300-H-ADM	Optima® Sensor Scrub Sinks – (8), (11)	#N/A	390.00	—
3850227	ESS-3300-C-ADT	Optima® Sensor Scrub Sinks – (6), (19)	#N/A	390.00	—
3850228	ESS-3300-H-ADT	Optima® Sensor Scrub Sinks – (8), (19)	#N/A	390.00	—

**ESS-3200**

**Contact Your Local Sloan Representative

(1) Bak Chek (2) Box Transformer "B" (3) Plug-In Transformer "P" (4) Less Transformer "LT" (5) 0.5 gpm/1.9 Lpm Multi-Lam Spray Head (6) 2.2 gpm/8.3 Lpm Laminar Spray Head (7) Surgical Bend Spout "S" (8) Shower Head Spray 2.2 gpm/8.3 Lpm "H" (9) 4" Trim Plate (10) 8" Trim Plate (11) Above Deck Mixing Valve – MIX-110-AA Trim Plate "ADM" (12) Below Deck Mixing Valve – MIX-60-A "BDM" (13) Below Deck Thermostatic Mixing Valve – MIX-135-A "BDT" (14) Integral Temperature Control Spout Mixer "ISM" (15) Drain Pop Up "DPU" (16) Optima i.q.®-cliq button "IC" (17) 1.5 gpm/5.7 Lpm Aerator (18) 2.2 gpm/8.3 Lpm Aerated Spray Head (19) Above Deck Thermostatic Mixing Valve – MIX-139 "ADT"

Pricing subject to change without notice. For most current pricing, refer to online price sheets at www.sloan.com