

NOW STOCKING



Trusted Valves from Jomar® – Ready for Next Day Delivery!

Need dependable, job-ready valves without the wait? First Supply delivers. We're proud to offer valves from Jomar Valve, built for performance and reliability. In stock and available for Next-Day Delivery.

Italian Brass Ball Valve, Threaded, T-100CG



ITEM #	MFG #	SIZE
JOM100403G	100-403G	1/2"
JOM100404G	100-404G	3/4"
JOM100405G	100-405G	1"
JOM100406G	100-406G	1-1/4"
JOM100407G	100-407G	1-1/2"
JOM100408G	100-408G	2"
JOM100409G	100-409G	2-1/2"
JOM100410G	100-410G	3"
JOM100411G	100-411G	4"

Connection	Threaded
Body Style	2-pc, Full Port
Material	Lead Free DZR Brass - C27453
Ball Material	T.E.A. Brass - C28500
Stem Material	Lead Free Brass - C28500
Seat Material	PTFE G300
Stem Packing	PTFE G300
Certifications/Approvals	NSF 61, NSF 372, CSA, BAA
Pressure Ratings	600 WOG
Product Size	1/2" - 4"

Italian Brass Ball Valve, Solder, S-100CG



ITEM #	MFG #	SIZE
JOM100413G	100-413G	1/2"
JOM100414G	100-414G	3/4"
JOM100415G	100-415G	1"
JOM100416G	100-416G	1-1/4"
JOM100417G	100-417G	1-1/2"
JOM100418G	100-418G	2"
JOM100419G	100-419G	2-1/2"
JOM100420G	100-420G	3"
JOM100421G	100-421G	4"

Connection	Solder
Body Style	2-pc, Full Port
Material	Lead Free DZR Brass - C27453
Ball Material	T.E.A. Brass - C28500
Stem Material	Lead Free Brass - C28500
Seat Material	PTFE G300
Stem Packing	PTFE G300
Certifications/Approvals	NSF 61, NSF 372, CSA, BAA
Pressure Ratings	600 WOG
Product Size	1/2" - 4"

Italian Brass Ball Valve, Press, JP-100G



ITEM #	MFG #	SIZE
JOM100203G	100-203G	1/2"
JOM100204G	100-204G	3/4"
JOM100205G	100-205G	1"
JOM100206G	100-206G	1-1/4"
JOM100207G	100-207G	1-1/2"
JOM100208G	100-208G	2"

Connection	Press
Body Style	2-pc, Full Port
Material	Lead Free DZR Brass - C27453
Ball Material	T.E.A. Brass - C28500
Stem Material	Lead Free Brass - C28500
Seat Material	PTFE G300
Stem Packing	PTFE G300
Certifications/Approvals	NSF 61, NSF 372, BAA
Pressure Ratings	250 WOG
Product Size	1/2" - 2"

Italian Brass Ball Valve, Press XLC, JP-100G XLC



ITEM #	MFG #	SIZE
JOM100209XLCG	100-209XLCG	2-1/2"
JOM100210XLCG	100-210XLCG	3"
JOM100211XLCG	100-211XLCG	4"

Connection	Press
Body Style	2-pc, Full Port
Material	Lead Free DZR Brass - C27453
Ball Material	T.E.A. Brass - C28500
Stem Material	Lead Free Brass - C28500
Seat Material	PTFE G300
Stem Packing	PTFE G300
Certifications/Approvals	NSF 61, NSF 372, BAA
Pressure Ratings	250 WOG
Product Size	2-1/2" - 4"

Brass Ball Valve, Press, JP-150G



ITEM #	MFG #	SIZE
JOM150203G	150-203G	1/2"
JOM150204G	150-204G	3/4"
JOM150205G	150-205G	1"
JOM150206G	150-206G	1-1/4"
JOM150207G	150-207G	1-1/2"
JOM150208G	150-208G	2"

Connection	Press
Body Style	2-pc, Full Port
Material	Lead-Free Brass - C46500
Ball Material	304 Stainless Steel
Stem Material	Brass - C37700
Seat Material	PTFE
Stem Packing	PTFE
Certifications/Approvals	NSF 61, NSF 372
Pressure Ratings	250 WOG
Product Size	1/2" - 2"

Brass Ball Valve, Press XLC, JP-150G XLC



ITEM #	MFG #	SIZE
JOM150209XLCG	150-209XLCG	2-1/2"
JOM150210XLCG	150-210XLCG	3"
JOM150211XLCG	150-211XLCG	4"

Connection	Press
Body Style	2-pc, Full Port
Material	Lead-Free Brass - C46500
Ball Material	304 Stainless Steel
Stem Material	Brass - C37700
Seat Material	PTFE
Stem Packing	PTFE
Certifications/Approvals	NSF 61, NSF 372
Pressure Ratings	250 WOG
Product Size	2-1/2" - 4"

EXPLORE TODAY
SCAN WITH YOUR PHONE CAMERA





Trusted Valves from Jomar® – Ready for Next Day Delivery!

**Brass Ball Valve,
Threaded,
T-150G**



ITEM #	MFG #	SIZE
JOM150103G	150-103G	1/2"
JOM150104G	150-104G	3/4"
JOM150105G	150-105G	1"
JOM150106G	150-106G	1-1/4"
JOM150107G	150-107G	1-1/2"
JOM150108G	150-108G	2"
JOM150109G	150-109G	2-1/2"
JOM150110G	150-110G	3"
JOM150111G	150-111G	4"
Connection	Threaded	
Body Style	2-pc, Full Port	
Material	Lead-Free Brass - C46500	
Ball Material	304 Stainless Steel	
Stem Material	Brass - C37700	
Seat Material	PTFE	
Stem Packing	PTFE	
Certifications/Approvals	NSF 61, NSF 372, CSA, UL, FM	
Pressure Ratings	600 WOG	
Product Size	1/2" - 4"	

**Brass Ball Valve,
Solder,
S-150G**



ITEM #	MFG #	SIZE
JOM150113G	150-113G	1/2"
JOM150114G	150-114G	3/4"
JOM150115G	150-115G	1"
JOM150116G	150-116G	1-1/4"
JOM150117G	150-117G	1-1/2"
JOM150118G	150-118G	2"
JOM150119G	150-119G	2-1/2"
JOM150120G	150-120G	3"
JOM150121G	150-121G	4"
Connection	Solder	
Body Style	2-pc, Full Port	
Material	Lead-Free Brass - C46500	
Ball Material	304 Stainless Steel	
Stem Material	Brass - C37700	
Seat Material	PTFE	
Stem Packing	PTFE	
Certifications/Approvals	NSF 61, NSF 372, CSA, UL, FM	
Pressure Ratings	600 WOG	
Product Size	1/2" - 4"	

**Brass Ball Valve,
F1960 Pex,
T-422G**



ITEM #	MFG #	SIZE
JOM104523PG	104-523PG	1/2"
JOM104524PG	104-524PG	3/4"
JOM104525PG	104-525PG	1"
JOM104526PG	104-526PG	1-1/4"
JOM104527PG	104-527PG	1-1/2"
JOM104528PG	104-528PG	2"
JOM104529PG	104-529PG	2-1/2"
JOM104530PG	104-530PG	3"
Connection	F1960 Pex	
Body Style	2-pc, Full-Port	
Material	Lead-Free Brass - C46400	
Ball Material	304 Stainless Steel	
Stem Material	304 Stainless Steel	
Seat Material	PTFE	
Stem Packing	PTFE	
Certifications/Approvals	NSF 61, NSF 372	
Pressure Ratings	400 WOG	
Product Size	1/2" - 3"	

**Brass Ball Valve,
F1960 Pex x Press,
T-422G**



ITEM #	MFG #	SIZE
JOM104563PG	104-563PG	1/2"
JOM104564PG	104-564PG	3/4"
JOM104565PG	104-565PG	1"
Connection	F1960 Pex x Press	
Body Style	2-pc, Full-Port	
Material	Lead-Free Brass - C46400	
Ball Material	304 Stainless Steel	
Stem Material	304 Stainless Steel	
Seat Material	PTFE	
Stem Packing	PTFE	
Certifications/Approvals	NSF 61, NSF 372	
Pressure Ratings	400 WOG	
Product Size	1/2" - 1"	

**Brass Ball Valve,
F1870 Pex,
T-412G**



ITEM #	MFG #	SIZE
JOM103523PG	103-523PG	1/2"
JOM103524PG	103-524PG	3/4"
JOM103525PG	103-525PG	1"
JOM103526PG	103-526PG	1-1/4"
JOM103527PG	103-527PG	1-1/2"
JOM103528PG	103-528PG	2"
Connection	F1870 Pex	
Body Style	2-pc	
Material	Lead-Free Brass - C46500	
Ball Material	Chrome Plated Lead-Free Brass - C46500	
Stem Material	Lead Free Brass - C46500	
Seat Material	PTFE	
Stem Packing	PTFE	
Certifications/Approvals	NSF 61, NSF 372	
Pressure Ratings	400 CWP	
Product Size	1/2" - 2"	

**Brass Ball Valve,
F1870 Pex x Press,
T-412G**



ITEM #	MFG #	SIZE
JOM103563PG	103-563PG	1/2"
JOM103564PG	103-564PG	3/4"
JOM103565PG	103-565PG	1"
Connection	F1870 Pex x Press	
Body Style	2-pc	
Material	Lead-Free Brass - C46500	
Ball Material	Chrome Plated Lead-Free Brass - C46500	
Stem Material	Lead Free Brass - C46500	
Seat Material	PTFE	
Stem Packing	PTFE	
Certifications/Approvals	NSF 61, NSF 372	
Pressure Ratings	400 CWP	
Product Size	1/2" - 1"	

FIRST SUPPLY

EXPLORE TODAY
SCAN WITH YOUR PHONE CAMERA





Trusted Valves from Jomar® – Ready for Next Day Delivery!

**Brass Ball Valve,
CPVC Solvent Weld,
S-155G**



ITEM #	MFG #	SIZE
JOM150603G	150-603G	1/2"
JOM150604G	150-604G	3/4"
JOM150605G	150-605G	1"
Connection	Solvent Weld	
Body Style	2-pc, Full Port	
Material	Lead-Free Brass - C46500	
Ball Material	304 Stainless Steel	
Stem Material	Brass - C37700	
Seat Material	PTFE	
Stem Packing	PTFE	
Certifications/Approvals	NSF 61, NSF 372, CSA, UL, FM	
Pressure Ratings	600 WOG	
Product Size	1/2" - 1"	

**Gas Ball Valve,
Threaded,
T-2005C**



ITEM #	MFG #	SIZE
JOM102603	102-603	1/2"
JOM102604	102-604	3/4"
JOM102605	102-605	1"
Connection	Threaded	
Body Style	2-pc, Full Port	
Material	Lead-Free Brass - C46500	
Ball Material	304 Stainless Steel	
Stem Material	Brass - C37700	
Seat Material	PTFE	
Stem Packing	PTFE	
Certifications/Approvals	NSF 61, NSF 372, CSA, UL, FM	
Pressure Ratings	600 WOG	
Product Size	1/2" - 1"	

**Bronze Ball Valve,
Threaded,
T-200CSSG**



ITEM #	MFG #	SIZE
JOM200403SSG	200-403SSG	1/2"
JOM200404SSG	200-404SSG	3/4"
JOM200405SSG	200-405SSG	1"
JOM200406SSG	200-406SSG	1-1/4"
JOM200407SSG	200-407SSG	1-1/2"
JOM200408SSG	200-408SSG	2"
Connection	Threaded	
Body Style	2-pc, Full Port	
Material	Lead-Free Bronze - C89836	
Ball Material	316 Stainless Steel	
Stem Material	316 Stainless Steel	
Seat Material	PTFE	
Stem Packing	PTFE	
Certifications/Approvals	NSF 61, NSF 372, BAA	
Pressure Ratings	600 CWP, 150 WSP	
Product Size	1/2" - 2"	

**Bronze Ball Valve,
Solder,
S-200CSSG**



ITEM #	MFG #	SIZE
JOM200413SSG	200-413SSG	1/2"
JOM200414SSG	200-414SSG	3/4"
JOM200415SSG	200-415SSG	1"
JOM200416SSG	200416SSG	1-1/4"
JOM200417SSG	200-417SSG	1-1/2"
JOM200418SSG	200-418SSG	2"
Connection	Solder	
Body Style	2-pc, Full Port	
Material	Lead-Free Bronze - C89836	
Ball Material	316 Stainless Steel	
Stem Material	316 Stainless Steel	
Seat Material	PTFE	
Stem Packing	PTFE	
Certifications/Approvals	NSF 61, NSF 372, BAA	
Pressure Ratings	600 CWP, 150 WSP	
Product Size	1/2" - 2"	

**Bronze Ball Valve,
Threaded,
T-200CSS**



ITEM #	MFG #	SIZE
JOM200703	200-703	1/2"
JOM200703	200-704	3/4"
JOM200705	200-705	1"
JOM200706	200-706	1-1/4"
JOM200707	200-707	1-1/2"
JOM200708	200-708	2"
Connection	Solder	
Body Style	2-pc, Full Port	
Material	Bronze - C84400	
Ball Material	316 Stainless Steel	
Stem Material	316 Stainless Steel	
Seat Material	PTFE	
Stem Packing	PTFE	
Certifications/Approvals	BAA	
Pressure Ratings	600 CWP, 150 WSP	
Product Size	1/2" - 2"	

**Bronze Ball Valve,
Solder,
S-200CSS**



ITEM #	MFG #	SIZE
JOM200803	200-803	1/2"
JOM200804	200-804	3/4"
JOM200805	200-805	1"
JOM200806	200-806	1-1/4"
JOM200807	200-807	1-1/2"
JOM200808	200-808	2"
Connection	Solder	
Body Style	2-pc, Full Port	
Material	Bronze - C84400	
Ball Material	316 Stainless Steel	
Stem Material	316 Stainless Steel	
Seat Material	PTFE	
Stem Packing	PTFE	
Certifications/Approvals	BAA	
Pressure Ratings	600 CWP, 150 WSP	
Product Size	1/2" - 2"	

FIRST SUPPLY

EXPLORE TODAY
SCAN WITH YOUR PHONE CAMERA





Trusted Valves from Jomar® – Ready for Next Day Delivery!

Resilient Seat Butterfly Valve – 600 Series



ITEM #	MFG #	SIZE
JOM02DSEL	600-02DS_L	2"
JOM212DSEL	600-212DS_L	2-1/2"
JOM03DSEL	600-03DS_L	3"
JOM04DSEL	600-04DS_L	4"
JOM05DSEL	600-05DS_L	5"
JOM06DSEL	600-06DS_L	6"
Body Style	Lug	
Material	Ductile Iron - Epoxy Coated	
Disc Material	Stainless Steel - CF8M	
Stem Material	410 Stainless Steel	
Certifications/Approvals	NSF 61, NSF 372, API 609	
Seat Material	EPDM, BUNA, PTFE VITON	
Stem Packing	EPDM	
Operator	Lever	
Options	225 PSI	
Product Size	2" - 6"	

Resilient Seat Butterfly Valve – 600 Series



ITEM #	MFG #	SIZE
JOM08DSEG	600-08DS_B	8"
JOM10DSEG	600-10DS_G	10"
JOM12DSEG	600-12DS_G	12"
Body Style	Lug	
Material	Ductile Iron - Epoxy Coated	
Disc Material	Stainless Steel - CF8M	
Stem Material	410 Stainless Steel	
Certifications/Approvals	NSF 61, NSF 372, API 609	
Seat Material	EPDM, BUNA, PTFE, VITON	
Stem Packing	EPDM	
Operator	Gear	
Options	225 PSI	
Product Size	8" - 12"	

FIRST SUPPLY

EXPLORE TODAY
SCAN WITH YOUR PHONE CAMERA

